

Table of Contents

1A1 Plenary Lectures: Connections, Linkages

1A1o1	Connections: particles, sensory offending filters, the “sink” effect and nasal pungency thresholds1
	<i>CJ Weschler</i>

1A1o2	Linkages between outdoor and indoor air quality issues: pollutants and research problems crossing the threshold12
	<i>J Mauderly</i>

1B1 Bioaerosols: I - Identification, Methodology

1B1o1	Is your <i>Stachybotrys chartarum</i> a genuine <i>s. chartarum</i> ?22
	<i>D-W Li, R Haugland, S Vesper, and CS Yang</i>

1B1o2	The production and characterization of monoclonal antibodies to the fungus <i>Aspergillus versicolor</i>28
	<i>D Schmechel, JP Simpson and DM Lewis</i>

1B1o3	Fungicidal and mitochondriotoxic bacilli frequent in water damaged buildings34
	<i>M Andersson, R Mikkola, C Apetroaie, D Hoornstra, T Nieminen and M Salkinoja-Salonen</i>

1B1o4	Method for measuring the size distribution of airborne rhinovirus40
	<i>ML Russell, R Goth-Goldstein, MG Apte and WJ Fisk</i>

1B1p1	Storage stability of viable mould spores and endotoxin in house dust samples46
	<i>A Koch, KJ Heilemann and W Bischof</i>

1B1p2	PCR detection and diversity of Streptomycetes in water-damaged buildings52
	<i>H Rintala, M Suutari and A Nevalainen</i>

1B1p3	Characterisation of the microbial community in indoor environments: a chemical-analytical approach57
	<i>A Sebastian and L Larsson</i>

1B1p4	Using PCR to detect indoor fungi63
	<i>BT Chen, J Keswani, G Zhou, and T Ong</i>

1B1p5	Comparison of genetic methods to optical methods in the identification and assessment of mold in the built environment - comparison of Taqman™ and microscopic analysis of <i>cladosporium</i> spores retrieved from Zefon Air-o-Cell™ traces69
	<i>D Kahane, D Sime, M McGinnis, S Vesper and RA Haugland</i>

1B1p6	Environmental assay to measure cat flea (<i>Ctenophalides felis</i>) antigens in dust samples using polyclonal antibodies74
	<i>R Codina, R Diwadkar, R Lockey</i>

1B1p7	Detection method of airborne mycobacterium tuberculosis complex DNA in environment	80
	<i>C Vadrot, V Bex, A Mouilleseaux, R Bessard, AC Joly, F Squinazi, and JC Darbord</i>	
1B1p8	GC-MS of microorganisms in the indoor environment: sampling strategies and structure-bioactivity relationships	85
	<i>L Larsson, B Szponar, A Sebastian, and D Milton</i>	
1B2	Asthma and Respiratory Health I	
1B2o1	Work-related asthma symptoms correlate with environmental measures in a healthcare facility	91
	<i>JM Cox-Ganser, CY Rao and K Kreiss</i>	
1B2o2	Are there any differences in indoor environment of asthmatics and non-asthmatics persons? A case/control study performed in Sweden and Estonia	97
	<i>M Frisk, A Raukas-Kivioja, H Andersson, H-M Loit, M Meren and G Stridh</i>	
1B2o3	Building-related risk factors and work-related lower respiratory symptoms in 80 office buildings	103
	<i>MJ Mendell, GM Naco, TG Wilcox, and WK Sieber</i>	
1B2o4	Lung function and symptoms in damp and mouldy buildings	109
	<i>NE Ebbenhøj, AL Svensson, HW Meyer, and O Valbjørn</i>	
1B2o5	Indoor air quality, dust mite allergens and asthma	113
	<i>SG Howieson, A Lawson, C McSharry, G Morris and E McKenzie</i>	
1B2p1	Acute respiratory effects of indoor pollutants in two general population samples living in a rural and in an urban area of Italy	119
	<i>M Simoni, L Carrozzi, S Baldacci, A Scognamiglio, A Angino, F Pistelli, F Di Pedde and G Viegi</i>	
1B2p2	Assessment of exposures to airborne toxic chemicals and the development or exacerbation of asthma in the general population	125
	<i>BE Barry, MP Chang, SB Bloom, NE Moss, and CB Bates</i>	
1B2p3	Airway hypersensitivity related to incorrect polishing procedures	131
	<i>JV Bakke, A Askeland, O Bjørseth, N Iversen, B Martens and TB Aasen</i>	
1B2p4	Indoor air quality and health problems associated with damp floor coverings in an office building	137
	<i>A Tuomainen, M Seuri and A Sieppi</i>	
1B2p5	Quantified absorbable dusting powder (ADP) allergen aerosol generated from powdered natural rubber latex (NRL) gloves compromises pulmonary function in NRL sensitized individuals	142
	<i>MC Swanson, S Quirce, M Fernandez-Nieto, M de las Heras, J Cuesta and J Sastre</i>	

1B3 Outdoor Pollutant Impacts on IAQ

1B3o1	The use of light scattering data to estimate the contribution of indoor- and outdoor-generated particles to indoor air	146
	<i>R Allen, T Larson, and L-J S Liu</i>	
1B3o2	Predicting indoor PM_{2.5} of outdoor origin: testing a transient size-resolved model using intensive measurements from a residence	152
	<i>ML Fischer, MM Lunden, TL Thatcher, RG Sextro, and NJ Brown</i>	
1B3o3	Prescribed burns in Colorado: impacts of mitigation measures on indoor air particulate matter	158
	<i>D Henderson, J Milford and S Miller</i>	
1B3o4	Impact of the urban pollution on the indoor environment - experimental study on a mechanical ventilated dwelling	164
	<i>S Kirchner, AM Laurent, B Collignan, Y Le Moullec, O Ramalho, JG Villenave and JP Flori</i>	
1B3o5	Accidental transportation releases of toxic chemicals in urban, residential and rural areas and protection by indoor environments	170
	<i>DJ Moschandreas and A Sierocki</i>	
1B3p1	Factors affecting the concentration of outdoor particles indoors: existing data and data needs	176
	<i>TE McKone, TL Thatcher, WJ Fisk, RG Sextro, MD Sohn, WW Delp, and WJ Riley</i>	
1B3p2	Indoor and outdoor particle measurements in a street canyon in Copenhagen	182
	<i>P Wåhlin, F Palmgren, A Afshari, L Gunnarsen OJ Nielsen, M Bilde and J Kildesø</i>	
1B3p3	IAQ characterization in urban areas: indoor to outdoor correlation	188
	<i>N El-Hougeiri and M El-Fadel</i>	
1B3p4	The impact of a ventilation system on air with different chemical composition: a study of the influence of ozone	194
	<i>J Fick, L Pommer, B Andersson and C Nilsson</i>	
1B3p5	Characterisation of filter performance in relation to outdoor air quality	197
	<i>M Jamriska, L Morawska and T Nathanson</i>	

1B4 Volatile Organic Compounds I

1B4o1	Residential VOC concentrations in a probability-based sample of households with children	203
	<i>JL Adgate, M Bollenbeck, LE Eberly, C Stroebel, ED Pellizzari, and K Sexton</i>	
1B4o2	German environmental survey of children and teenagers 2000 (GERES IV): a representative population study including indoor pollutants	209
	<i>D Ullrich, C Gleue, C Krause, C Lusansky, R Nagel, C Schulz, and B Seifert</i>	

1B4o3	Exposure to volatile organic compounds and carbon monoxide of adult population in Milan (EXPOLIS study)	215
	<i>P Carrer, D Cavallo, S Fustinoni, Y Bruinen de Bruin, F Vercelli, F Visigalli and M Maroni</i>	
1B4o4	Personal monitoring of benzene in Perth, Western Australia: results of a pilot trial	221
	<i>A Horton and F Murray</i>	
1B4o5	Indoor-outdoor-personal exposure relationships of volatile organic compounds (VOCs) in Mexico City	227
	<i>PI Serrano-Trespalacios, JD Spengler and L Ryan</i>	
1B4p1	Building related factors and inhabitants exposure to indoor air volatile organic compounds in the EXPOLIS-Helsinki study	233
	<i>T Tirkkonen, K Saarela, K Villberg, J Jurvelin and M Jantunen</i>	
1B4p2	Volatile organic compounds and formaldehyde in bedrooms: results of a survey in Vienna, Austria	239
	<i>H-P Hutter, H Moshhammer, P Wallner, B Damberger, P Tappler and M Kundi</i>	
1B4p3	TVOC, formaldehyde and ammonia levels in two new blocks of flats	244
	<i>M Tuomainen and J Pirinen</i>	
1B4p4	On the formaldehyde and VOCs concentration difference among houses in apartment house just after the construction	249
	<i>K Ikeda, M Shiotsu and S Sato</i>	
1B4p5	IAQ assessment in two indoor swimming pools: swimmers' exposure to aerosols, VOC and carbonyl compounds	255
	<i>P Yli-Pirilä, T Raunemaa, A Hirvonen, P Pasanen, J Nuutinen and M Hyttinen</i>	
1B4p6	A fugacity-based indoor residential pesticide fate model	261
	<i>DH Bennett, E J Furtaw, Jr. and TE McKone</i>	
1B5	Indoor Air Flow and Air Distribution	
1B5o1	Assessing multi-zone airflow simulation software	267
	<i>DM Lorenzetti</i>	
1B5o2	Computation of airflow in a displacement ventilation/chilled ceiling environment	272
	<i>L Jalil, AH Taki and DL Loveday</i>	
1B5o3	Study of indoor air quality air flow pattern in a room with floor heating	278
	<i>J Heng and Y Li</i>	
1B5o4	An examination of the influence of various effects on room air flow	284
	<i>Y Sun and TF Smith</i>	
1B5p1	Tracer gas techniques for measurement of ventilation in multi-zone buildings - a review	290
	<i>H Stymne, M Sandberg and CA Boman</i>	

1B5p2	The evaluation of multi-zone air flow pattern and ventilation rates with tracer gas methods in apartment house	296
	<i>DW Yoon, JY Sohn, SD Kim and HS Kim</i>	
1B5p3	Influence of furniture layout and ventilation design on air quality and thermal comfort	302
	<i>KWD Cheong, E Djunaedy, KW Tham, SC Sekhar, NH Wong and MB Ullah</i>	
1B5p4	Experimental and numerical studies on air diffusion in a single office	308
	<i>S Grignaffini and A Vallati</i>	
1B5p5	The simulation of ventilation of entrance atrium in the Moravian library	314
	<i>J Katolicky, P Julinek and M Jicha</i>	
1B5p6	The impact of tracer gas mixing on airflow rate measurements in large commercial fan systems	320
	<i>FJ Offermann, JP Robertson, and TWebster</i>	
1B5p7	Development of a measurement method for air current by the use of balloons for gravity free	326
	<i>T Mori, T Konishi, S Ikenaga, M Enai and H Hayama</i>	
1B5p8	Isothermal airflow in a gymnasium studied by numerical and full-scale experimental methods	332
	<i>X Ma, X Li, D Li, and C Dou</i>	
1B6	Ventilation System Hygiene I - Emissions	
1B6o1	The impact of air pollution from used ventilation filters on human comfort and health	338
	<i>G Clausen, O Alm and PO Fanger</i>	
1B6o2	Sensory source strength of used ventilation filters	344
	<i>G Clausen, O Alm and PO Fanger</i>	
1B6o3	Operation time of the ventilation system as a cause of microbial contamination of the infiltration filter	350
	<i>H Kokotti, L Kujanpää, R Halonen, T Keskkikuru and M Reiman</i>	
1B6o4	Oil residues on HVAC components	356
	<i>V Asikainen, M Björkroth, R Holopainen and P Pasanen</i>	
1B6o5	Macro- and micro-evaluation of air intake - a demonstration of the need for more optimal tools	362
	<i>F Frydenlund, EN Haugen, C Ahlén, I Bryn, H Davidsen, SO Hanssen and GT Møgedal</i>	
1B6p1	VOC emissions from dusty air filters	368
	<i>M Hyttinen, P Pasanen and P Kalliokoski</i>	
1B6p2	Measurement of sensory load from ventilation systems by trained and untrained panels	374
	<i>M Björkroth and E Kukkonen</i>	

1B6p3	Selection of lubricant for manufacture of HVAC components	380
	<i>V Asikainen, M Hyttinen, R Lappalainen and P Pasanen</i>	
1B6p4	Microbial measurements at ventilation systems supply vents	386
	<i>M Hinker</i>	
1B6p5	In-situ testing of ventilation air intake louvers subjected to snow	391
	<i>O Kristiansen, SO Hanssen and J Stang</i>	
1C1	Bioaerosols II - Sampling Methodology	
1C1o1	Airborne microorganism collection by a new electrostatic precipitator	396
	<i>K Willeke, S Lee, G Mainelis, A Adhikari, T Reponen, SA Grinshpun, SH Cho, H Wang and M Trunov</i>	
1C1o2	Airborne allergen exposure: measurements with a novel ion charging device	402
	<i>NJ Custis, JA Woodfolk, JW Vaughan, and TAE Platts-Mills</i>	
1C1o3	ORM (optimal removing of moisture from water damaged building constructions) - MVOCs	408
	<i>O-A Braathen, N Schmidbauer, C Lunder, P Blom and J Mattsson</i>	
1C1o4	Gas chromatography-mass spectrometry/solid phase micro-extraction: a new technique for the identification of MVOCs from moldy building materials	414
	<i>L Wady, A Bunte, C Pehrson and L Larsson</i>	
1C1o5	Air and surface sampling measurements of fungal contaminants in indoor environments	420
	<i>P Cruz Perez, JL Henry, AK Klima-Comba and LD Stetzenbach</i>	
1C1p1	The dustfall collector - a simple way to measure exposure to microorganisms	425
	<i>H Würtz</i>	
1C1p2	Microbial VOC (MVOCs) in buildings, their properties and potential use	431
	<i>K Wilkins</i>	
1C1p3	Volatile metabolites from microorganisms grown on building materials	437
	<i>A-S Claeson, J-O Levin, G Blomquist and A-L Sunesson</i>	
1C1p4	Bioaerosols - where should one measure them in a room ?	443
	<i>MGLC Loomans, PM Bluysen and CCM Ringlever-Klaassen</i>	
1C1p5	Microbial flora and concentrations on material surface determined by the dilution and direct plating	449
	<i>M Reiman, L Kujanpää and R Kujanpää</i>	
1C1p6	A field comparison of methods for enumerating airborne fungal bioaerosols	455
	<i>KS Lee, W Black, M Brauer, G Stephens, K Teschke, J Hsieh and K Bartlett</i>	

1C2	Asthma and Respiratory Health II – Children	
1C2o1	Housing characteristics and children's respiratory health	461
	<i>JD Spengler, J Jaakkola, H Parise, V Kislitsin, N Lebedeva, S Kuzmin, A Kosheleva, B Katsnelson and L Privalova</i>	
1C2o2	Moisture damage at home and childhood asthma - a case-control study	467
	<i>A Hyvärinen, J Pekkanen, J Halla-aho, T Husman, M Korppi and A Nevalainen</i>	
1C2o3	Indoor air quality in houses of asthmatic and non-asthmatic children	472
	<i>K Rumchev, J Spickett, M Phillips and S Stick</i>	
1C2o4	Differences in possible risk factors for allergic diseases between children living on farms and other children	477
	<i>CG Bornehag, J Sundell, L Hägerhed and M Bengtsson</i>	
1C2o5	Asthma, asthma-like symptoms and allergies in Russian school children in relation to new surface materials in the home	478
	<i>JJK Jaakkola, JD Spengler, H Parise, V Kislitsin and NV Lebedeva</i>	
1C2p1	Respiratory infections among children in moisture damaged schools	484
	<i>T Husman, T Meklin, A Vepsäläinen, M Vahteristo, J Koivisto, J Halla-aho, A Hyvärinen, V Koponen and A Nevalainen</i>	
1C2p2	Endotoxin exposure in asthmatic children and matched healthy controls: results of IPEADAM study	488
	<i>G Tavernier, GD Fletcher, HC Francis, LA Oldham, AM Fletcher, L Stewart, I Gee, A Watson, TL Frank, P Frank, CAC Pickering and RML Niven</i>	
1C2p3	Effect of indoor CO₂ concentrations on wheezing attacks in children	492
	<i>CS Kim, YW Lim, JY Yang, CS Hong and DC Shin</i>	
1C2p4	AIRS system: a real-time monitor to measure indoor air pollutants and lung function in children with asthma	498
	<i>CW Bayer, AL Cook, D Roberts, PD Via, and WG Teague</i>	
1C3	Particles and Dust I	
1C3o1	PM_{home}: a database of continuous particle measurements in an occupied house for four years	503
	<i>LA Wallace, C Croghan, C Howard-Reed and A Persily</i>	
1C3o2	Vertical distribution of occupant-generated particles in a room with displacement ventilation	509
	<i>M Mattsson</i>	
1C3o3	Modeling particle deposition in ventilation ducts	515
	<i>MR Sippola and WW Nazaroff</i>	
1C3o4	Modeling particle deposition on HVAC heat exchangers	521
	<i>JA Siegel and WW Nazaroff</i>	
1C3o5	Exposure to house dust from human activities	527
	<i>AR Ferro, RJ Kopperud and LM Hildemann</i>	

1C3o6	Novel technique for measuring low molecular weight chemicals in indoor dust	533
	<i>A Nilsson, V Lagesson and C Tagesson</i>	
1C3p1	Adsorbed volatile and semi-volatile organic compounds (VOCs and SVOCs) on settled dust	539
	<i>H Andersson, R Fredriksson, J Oscarsson and G Stridh</i>	
1C3p2	Unambiguous confirmation by GC/MS and large volume injection of residential soot contamination from the burning of candles	543
	<i>LD Garretson and ED Golla</i>	
1C3p3	Analysis of 3-dimensional roughness elements in an indoor air filter	549
	<i>G Chari, C Pain, AJH Goddard and CRE de Oliveira</i>	
1C4	Volatile Organic Compounds II	
1C4o1	Exposure of population and micro-environmental distributions of volatile organic compound concentrations in five European cities	555
	<i>K Saarela, T Tirkkonen, J Laine-Ylijoki, J Jurvelin, and M Jantunen</i>	
1C4o2	The a detailed study of volatile organic compounds of 5 air-conditioned buildings in Singapore	561
	<i>KW Tham, SC Sekhar, M Amanullah, HK Lee, D Cheong and NH Wong</i>	
1C4o3	The variability of personal chemical exposure in eight office buildings	567
	<i>B Glas, J-O Levin, B Stenberg, H Stenlund and A-L Sunesson</i>	
1C4o4	Development of measurement device (ADSEC) for aldehydes and VOCs emission rates using a diffusive sampler	573
	<i>J Matsumoto, S Tanabe and R Aoki</i>	
1C4o5	Seasonal variation in indoor and outdoor concentrations of VOCs in New York City	579
	<i>S Ramstrom JD Spengler S Chillrud and P Kinney</i>	
1C4p1	Development of the formaldehyde automatic analyzer and test to evaluate its performance	585
	<i>E Osada T Matsumura and M Andoh</i>	
1C4p2	How to sample ppb levels of VOCs in the presence of ozone: an evaluation of different scrubber materials	591
	<i>J Fick, L Pommer, B Andersson and C Nilsson</i>	
1C4p3	Underestimation of indoor air concentrations; comparison of Tenax-adsorption/thermal desorption with different sorbents/liquid extraction	595
	<i>C Zorn, M Köhler and N Weis</i>	
1C4p4	Significance of individual response factors in the detailed characterization of volatile organic compounds	601
	<i>SC Sekhar, KW Tham, MD Amanullah, HK Lee, D Cheong, NH Wong and Z Bin Mohd Sultan</i>	

1C4p5	Indoor environment of the chemical sensitivity (CS) patient house at Asahikawa, Japan	607
	<i>S Nakai, Y Yanagisawa, J Kawahara, N Shinohara, K Kumagai, K Abe, K Jin, S Kobayashi E Katsura</i>	
1C4p6	Short term exposure to volatile organic compounds (VOCs) causes impairment of skin barrier function in man	612
	<i>J Huss-Marp, B Eberlein-König, K Breuer, S Mair, U Krämer, E Mayer, K Gertis, J Ring and H Behrendt</i>	
1C5	Radon	
1C5o1	The current status of residential radon epidemiology	617
	<i>RW Field</i>	
1C5o2	The effects of protocol choices on a radon-lung cancer epidemiologic study	623
	<i>DJ Steck</i>	
1C5o3	Residential radon and lung cancer risk: first analyses of a case-control study in the district of IMST, Tyrol/Austria	629
	<i>A Schaffrath Rosario, W Oberaigner, J Wellmann, M Gerken, L Kreienbrock, M Kreuzer, B Langer, G Keller and HE Wichmann</i>	
1C5o4	Residential air quality in interior Alaska	635
	<i>R Johnson, J Schmid, and R Seifert</i>	
1C5o5	Long term performance of radon mitigation systems	641
	<i>R Prill and WJ Fisk</i>	
1C5p1	Radon remediation design considerations of a new jersey school building	647
	<i>B Brodhead, P McGuinness and M McGuinness</i>	
1C5p2	Continuous and categorical trend estimators: simulation results and an application to residential radon	653
	<i>A Schaffrath Rosario, J Wellmann, IM Heid and HE Wichmann</i>	
1C5p3	Radon levels and dose estimation in some hot spring hotels	659
	<i>G Song, B Zhang, X Wang, J Gong, D Chan and J Bennett</i>	
1C5p4	Understanding of high radon concentrations observed in a well-ventilated Japanese wooden house	665
	<i>S Tokonami, H Yonehara, W Zhuo, Q. Sun, T Sanada and Y Yamada</i>	
1C6	Ventilation System Hygiene II - Duct Cleaning and Assessment of Cleanliness	
1C6o1	Cleanliness criteria and test procedures for cleanliness labeling of HVAC components	670
	<i>M Björkroth, V Asikainen, O Seppänen and J Säteri</i>	
1C6o2	Labeling system for clean ventilation components	676
	<i>M Björkroth, O Seppänen, J Säteri, P Neuvonen, P Pasanen and J Railio</i>	

1C6o3	A visual inspection method to evaluate cleanliness of newly installed air ducts	682
	<i>R Holopainen, J Narvanne, P Pasanen and O Seppänen</i>	
1C6o4	Maintenance of HVAC-systems and components, definition of cleanliness!	688
	<i>B Müller</i>	
1C6o5	The effect of duct cleaning on indoor air quality in office buildings	694
	<i>S Kolari, M Luoma M Ikäheimo and P Pasanen</i>	
1C6p1	Bulk sampling of dust loading in ductwork	700
	<i>D Rask, T Lewis and C Maki</i>	
1C6p2	The amount of accumulated dust in ducts of new HVAC installations	705
	<i>R Holopainen, M Tuomainen, V Asikainen, P Pasanen, J Säteri and O Seppänen</i>	
1C6p3	Development of a clean installation method for ventilation systems	711
	<i>M Luoma and S Kolari</i>	
1C6p4	New hospital-hygiene guidelines – new technical standards for HVAC equipment	716
	<i>R Meierhans</i>	
1C6p5	Assessment, cleaning & restoration of HVAC systems (ACR-2002)	722
	<i>C Cochrane and T Yacobellis</i>	
1D1	Bioaerosols III - Decontamination Approaches	
1D1o1	Interpreting microbial measurement and analysis	728
	<i>T Nathanson</i>	
1D1o2	A fungal abatement project in an office located in arid southwestern region of the United States	733
	<i>L Hung, S Lindsey and K Kroehle</i>	
1D1o3	Cleanup of microbial contamination in major building crawlspaces	739
	<i>D Figley and R Sieber</i>	
1D1o4	Mold remediation procedures at a New Jersey elementary school	745
	<i>M McGuinness</i>	
1D1o5	Investigation of black material on walls and household contents in two residences	751
	<i>M Dekermenjian and M Shum</i>	
1D1p1	Effectiveness of cleaning methods after the repair of the moisture damaged building	755
	<i>H Kokotti, R Halonen, L Kujanpää, E Korhonen, T Keskikuru and M Reiman</i>	
1D1p2	Remedial procedures for water damage in buildings	761
	<i>T Nathanson</i>	
1D1p3	A combination of cleaning and restoration can produce very significant improvement in indoor air climate	767
	<i>O Sjøvold and TL Norum</i>	
1D1p4	Mold damages caused by water used in cleaning - microbiological aspects	773
	<i>L Kujanpää, M Reiman and R Kujanpää</i>	

1D2 Productivity and Economics

1D2o1	An intervention study of outdoor air supply rates and sick leave among office workers	778
	<i>TA Myatt, J Staudenmayer, K Adams, M Walters, M Wand, S Rudnick and DK Milton</i>	
1D2o2	Medical cost savings obtained through asthma management programs and environmental trigger avoidance	784
	<i>K Cunningham, D Mudarri, M Heil and Ben Apelberg</i>	
1D2o3	Worker performance and ventilation: analyses of time-series data for a group of call-center workers	790
	<i>WJ Fisk, PN Price, D Faulkner, DP Sullivan, DL Dibartolomeo, CC Federspiel, G Liu, and M Lahiff</i>	
1D2o4	Worker performance and ventilation: analyses of individual data for call-center workers	796
	<i>CC Federspiel, G Liu, M Lahiff, D Faulkner, DL Dibartolomeo, WJ Fisk, PN Price and DP Sullivan</i>	
1D2o5	Do indoor environments in schools influence student performance? A review of the literature	802
	<i>GA Heath and MJ Mendell</i>	
1D2p1	Cost-benefit analysis of improved air quality in an office building	808
	<i>R Djukanovic, P Wargoeki and PO Fanger</i>	
1D2p2	Modeling the cost effects of the indoor environment	814
	<i>M Tuomainen, J Smolander, J Kurnitski, J Palonen and O Seppänen</i>	
1D2p3	Two distinct causal paths from indoor air problems to sickness absenteeism	820
	<i>JL Leyten and AC Boerstra</i>	
1D2p4	Thermal comfort and productivity	822
	<i>KJ McCartney and MA Humphreys</i>	
1D2p5	Effect of thermal environment on productivity evaluated by task performances, fatigue feelings and cerebral blood oxygenation changes	828
	<i>N Nishihara, Y Yamamoto and S Tanabe</i>	
1D2p6	Health, energy and productivity in schools: measures of occupant performance	834
	<i>PK Freitag, JE Woods, B Hemler, NP Sensharma, BA Penney and G Marx</i>	
1D2p7	The contribution of restoration and effective operation and maintenance programs on indoor environmental quality and educational performance in schools	840
	<i>MA Berry</i>	

1D3 Particles and Dust II

1D3o1	The effect of penetration factor, deposition, and environmental factors on the indoor concentration of PM_{2.5} sulfate, nitrate, and carbon	846
	<i>TL Thatcher, MM Lunden, RG Sextro, S Hering, and NJ Brown</i>	

1D3o2	Micro-environmental model of personal exposure to particles and microbial aerosols	852
	<i>M Toivola, S Alm, T Reponen, S Kolari and A Nevalainen</i>	
1D3o3	The influence of building features on air exchange rate and particle penetration	856
	<i>RB Mosley and C Whitfield</i>	
1D3o4	Particle penetration through windows	862
	<i>D-L Liu and WW Nazaroff</i>	
1D3o5	Reducing particulate levels in houses	868
	<i>D Fugler and D Bowser</i>	
1D3p1	Indoor, outdoor and regional profiles of PM_{2.5} sulfate, nitrate and carbon	874
	<i>SV Hering, MM Lunden, TW Kirchstetter, TL Thatcher, KL Revzan, RG Sextro, NJ Brown, J Watson and J Chow</i>	
1D3p2	Characterization of particle types in modern offices	880
	<i>K Kruse, L Madsø, A Skogstad, W Eduard, F Levy, K Skulberg and K Skyberg</i>	
1D3p3	Indoor pollutant measurement and modeling comparing impact of surface characteristics	885
	<i>WX Braun, BA Cicciarelli, DL Davidson, EH Hart, A Luedtke, K McIntosh, and PR Peoples</i>	
1D3p4	HEPA air filtration: an effective method of reducing household PM exposure	891
	<i>K White, S Smith and P Dingle</i>	
1D3p5	The indoor fine particulate organic carbon measurement artifact in Seattle	896
	<i>CS Claiborn, Y Pang, L Gundel, TV Larson and LJS Liu</i>	
1D4	Volatile Organic Compounds III: Soil gas as a source	
1D4o1	Assessment of subsurface vapour transport through triassic sandstone and quarry fill into indoor air in Weston Village, Runcorn, UK	902
	<i>T McAlary, P Dollar, P deHaven, G Wilkinson, R Moss, J Llewellyn and D Crump</i>	
1D4o2	Estimating indoor air exposure to VOCs from subsurface releases - field methods and model limitations	908
	<i>PM Krasnoff, PE Morris and RE Roat</i>	
1D4o3	Efficacy of sub-slab depressurization for mitigation of vapor intrusion of chlorinated organic compounds	914
	<i>DJ Folkes and DW Kurz</i>	
1D4o4	Background concentrations of selected chlorinated hydrocarbons in residential indoor air	920
	<i>JP Kurtz and DJ Folkes</i>	
1D4o5	Assessment of the uncertainty of measurement results of hexachlorobutadiene in indoor air	926
	<i>T Hafkenschied and G Wilkinson</i>	

1D4p1	Background indoor air risks at selected residences in Denver Colorado	932
	<i>SJ Foster, JP Kurtz, and AK Woodland</i>	
1D4p2	Risks to indoor air quality from volatile organic compounds in groundwater	938
	<i>A Barnard, CIH, CSP, L Breyer, CIH, and J Cowart, PE</i>	
1D4p3	Sampling of hexachlorobutadiene in the air of homes at a site contaminated by industrial waste in England	944
	<i>D Crump, V Brown, J Rowley, J Llewellyn, G Wilkinson and R Moss</i>	
1D4p4	Quality control and quality assurance procedures used during the indoor air quality monitoring programme in Weston Village, Runcorn	950
	<i>G Wilkinson R Moss, D Crump, V Brown, J Rowley, T Hafkenschied, R Kearn, A Carp, J Kristensson, P de Haven, P Dollar and T McAlary</i>	
1D4p5	A new method for measurement of the intrusion of VOCs to indoor air from contaminated soil	956
	<i>K Fuglsang</i>	
1D5	Floor Coverings - Carpets vs. Hard Surfaces	
1D5o1	VOC- and SVOC-emissions from adhesives, floor coverings and complete floor structures	962
	<i>O Wilke, O Jann and Brödner</i>	
1D5o2	Floor heating may cause IAQ problems	968
	<i>A Sjöberg and Lars-Olof Nilsson</i>	
1D5o3	Preliminary study of flooring in school in the U.S.: airborne particulate exposures in carpeted vs. uncarpeted classrooms	974
	<i>RJ Shaughnessy, B Turk, S Evans, F Fowler, S Casteel and S Louie</i>	
1D5o4	A comparison of biocontaminant levels associated with hard vs. carpet floors in non-problem schools: results of a year long study	980
	<i>K Foarde and M Berry</i>	
1D5o5	Textile floor covering as part of indoor environment	986
	<i>IE Dahl, SB Holøs and SK Nilsen</i>	
1D5p1	Real-time measurement of (pm-10) dust levels in a carpeted and non-carpeted school gym room	992
	<i>WA Turner, SC Caulfield, T Ellis and R Lewia</i>	
1D5p2	Contaminants in residential floor dust	998
	<i>A Hedge, AA Kline, AT Lemley, SK Obendorf, T Dokuchayeva, and V Gaskins</i>	
1D5p3	Indoor air pollution by volatile organic compounds (VOC) emitted from flooring material in a technical university in Switzerland	1004
	<i>R Reiser, A Meile, C Hofer and R Knutti</i>	
1D5p4	Effects on health related symptoms of carpet removal and ventilation improvement in eleven schools - a controlled intervention study	1010
	<i>HM Mathisen, JA Jenssen and R Johnsen</i>	

1D5p5	Variant indoor fungal levels in residential environments following a cleaning intervention on carpets and soft furnishings	1015
	<i>CD Cheong, HG Neumeister-Kemp, PW Dingle and GSJ Hardy</i>	
1D5p6	Indoor monitoring of homes with wool carpets treated with Permethrin	1021
	<i>E Berger-Preiß, K Levsen, G Leng, H Idel and U Ranft</i>	
1D5z1	Two types of carpet with reduced house dust mite prevalence	1026
	<i>SK Brown</i>	
1D6	Thermal & Energy Performance of Buildings and Building Systems	
1D6o1	Air-conditioning in nursing homes till death do us part?	1032
	<i>PG Luscuere and V Borst</i>	
1D6o2	Thermal sensation and comfort with transient metabolic rates	1038
	<i>T Goto, J Toftum, R de Dear and PO Fanger</i>	
1D6o3	Double skin façade and hybrid ventilation of the ING house Amsterdam (ING Bank HQ)	1044
	<i>J van Meurs and PG Luscuere</i>	
1D6o4	Thermal comfort - thermal mass: housing in hot dry climates	1050
	<i>IA Meir and SC Roaf</i>	
1D6o5	Dynamic building energy modeling: the significance of tuning based on measurements	1056
	<i>M Colombari, M Kragh, M Zobec, M De Carli, A. Franceschet and R Zecchin</i>	
1D6p1	Numerical and experimental investigation of the conditions in the double solar energy façade	1062
	<i>M Jaros, R Gorny, P Charvat, J Katolicky and J Sedlak</i>	
1D6p2	Energy consumption and thermal comfort for domestic buildings in Seiyun, (Yemen)	1068
	<i>FH Al-Shibami and IC Ward</i>	
1D6p3	Program of energy audit for residential and public buildings	1074
	<i>B Petrov, I Puikevica-Puikevska and N Zeltinsh</i>	
1D6p4	The exploitation of solar energy for energy-saving in ventilation	1080
	<i>P Charvat and M Jaros</i>	
1D6p5	Optimization of energy performance of solar system using hybrid collector	1086
	<i>M Yoshinaga and M Okumiya</i>	
1D6p6	Practical application of energy conservation with ASHRAE Standard 62	1092
	<i>WBM Stanley and CO Muller</i>	
2A1	Plenary Lectures: Environmental Tobacco Smoke, Comfort	
2A1o1	Case studies of the role of research in the development of indoor air policies	1
	<i>L Bero</i>	

2A1o2	The construct of comfort: a framework for research	12
	<i>WS Cain</i>	
2B1	Bioaerosols IV - Prevention and Control Policy	
2B1o1	A risk assessment approach to controlling Legionella bacteria	21
	<i>M Hodgson</i>	
2B1o2	Development and validation of a design tool for avoiding mould growth in dwellings to provide a validation method for the performance based New Zealand building code	27
	<i>M J Cunningham</i>	
2B1o3	Hospital airborne infection prevention (HAIP)	33
	<i>G Flatheim</i>	
2B1o4	How public agencies address indoor mold hazards in California	38
	<i>JM Waldman, JM Macher, S McNeel, E Wersinger and D Gilliss</i>	
2B1o5	A practical guideline for evaluating moisture damaged buildings	44
	<i>T Syversen, J V Bakke, O Bjørseth, L N Johannessen and M Løvik</i>	
2B1o6	A case study for proactive health care construction management to prevent indoor air pollution	50
	<i>AJ Streifel and M Mazzarella</i>	
2B2	Children's Environmental Health I - Exposure Assessment	
2B2o1	Health, energy and productivity in schools: overview of the research program	56
	<i>JE Woods, BA Penney, PK Freitag, G Marx, B Hemler and NP Sensharma</i>	
2B2o2	Energy and indoor environmental quality in relocatable classrooms	62
	<i>MG Apte, AT Hodgson, DG Shendell, D Dibartolomeo, T Hochi, S Kumar, SM Lee, SM Liff, LI Rainer, RC Schmidt, DP Sullivan, RC Diamond and WJ Fisk</i>	
2B2o3	Air quality and ventilation rates in schools in Poland - requirements, reality and possible improvements	68
	<i>J Sowa</i>	
2B2o4	Carbon dioxide levels and dynamics in elementary schools: results of the TESIAS study	74
	<i>RL Corsi, VM Torres, M Sanders and KA Kinney</i>	
2B2p1	Texas elementary school indoor air study (TESIAS): overview and major findings	80
	<i>V Torres, M Sanders and R Corsi</i>	
2B2p2	Indoor air pollutants, limited resource households and childcare facilities	86
	<i>J Laquatra, LE Maxwell and M Pierce</i>	
2B2p3	Multidisciplinary evaluation of a public high school	92
	<i>R Anderson, W Anis, M Feeney, M Goldman, R Gregor, S Nichols and T Oleary</i>	

2B2p4	Total dust exposure and size distribution of air borne particles in day-care centres, schools and offices	97
	<i>G Stridh, H Andersson, B Linder, J Oscarsson and Ch Sahlberg Bang</i>	
2B2p5	Vertical profile particulate matter measurements in a California daycare	103
	<i>P Beamer, A Castaño and JO Leckie</i>	
2B2p6	Indoor air quality in schools: the impact of ventilation conditions and indoor activities	109
	<i>J Ribéron, P O'Kelly, F Maupetit and E Robine</i>	
2B3	Environmental Tobacco Smoke I	
2B3o1	The efficacy of strategies to reduce environmental tobacco smoke concentrations in homes, workplaces, restaurants, and correctional facilities	115
	<i>SK Hammond</i>	
2B3o2	Measurements and modeling of environmental tobacco smoke leakage from a simulated smoking room	121
	<i>J Wagner, DP Sullivan, D Faulkner, LA Gundel, WJ Fisk, LE Alevantis, and JM Waldman</i>	
2B3o3	Mitigation strategies for reducing childhood exposure to ETS in the home	127
	<i>LK Shuker, C Courage, P Holmes and PTC Harrison</i>	
2B3o4	Reducing bartenders' exposure to ETS by a local ventilation - field evaluation of the solution	133
	<i>M Hyvärinen, K Hagström, I Grönvall and P Hynynen</i>	
2B3o5	Effect of sorption on exposures to organic gases from environmental tobacco smoke (ETS)	138
	<i>BC Singer, AT Hodgson and WW Nazaroff</i>	
2B3p1	Passive smoking exposure and risk for Irish bar staff	144
	<i>M Mulcahy and JL Repace</i>	
2B3p2	Control of exposure to environmental tobacco smoke in restaurants and bars	150
	<i>M Hyvärinen, T Johnsson, T Tuomi, M Rothberg, T Mielo and K Reijula</i>	
2B3p3	Environmental tobacco smoke in rental housing - perceived problems & interest in smoke-free buildings	156
	<i>MJ Hewett, SD Sandell, DJ Reece PhD, DL Bohac</i>	
2B3p4	Characterizing size-specific ETS particle emissions	162
	<i>NE Klepeis and WW Nazaroff</i>	
2B4	Emissions I - Field Investigations	
2B4o1	Effect of outside air ventilation rate on VOC concentrations and emissions in a call center	168
	<i>AT Hodgson, D Faulkner, DP Sullivan, DL DiBartolomeo, ML Russell and WJ Fisk</i>	

2B4o2	Influence of the inhabitants on indoor air quality	174
	<i>A Saarinen, T Vartiala and M Viinikka</i>	
2B4o3	Emission of aldehydes from paints containing linseed oil: a field study	180
	<i>P Fjällström, B Andersson, and K Andersson</i>	
2B4o4	Identification and quantification of VOCs sources in air-conditioned office buildings in Singapore	183
	<i>MS Zuraimi, KWTham and SC Sekhar</i>	
2B4o5	Transient analysis of VOC concentrations for estimating emission rates	189
	<i>A Persily, C Howard-Reed and SJ Nabinger</i>	
2B4p1	An investigation of styrene contamination in apartment properties due to refurbishment of concrete walkways	195
	<i>C Yu, DR Crump and M Waugh</i>	
2B4p2	Indoor air quality and material emissions in new buildings	201
	<i>H Järnström and K Saarela</i>	
2B4p3	Correlation between VOCs emitted from building materials and diagnosed building related symptoms	207
	<i>K Villberg, K Saarela H Mussalo-Rauhamaa, M Malmberg and T Haahtela</i>	
2B4p4	Flame retardants in the indoor environment. Part IV: classification of experimental data from house dust, indoor air and chamber tests	213
	<i>T Salthammer and M Wensing</i>	
2B4p5	Measurement of VOC emissions from wood remedial treatment: chamber tests and field experiments	219
	<i>F Maupetit, O Ramalho, A Mienne, PO'Kelly and C Yrieix</i>	
2B4p6	An estimate of greenhouse gas emissions from common Kenyan cookstoves under conditions of actual use	225
	<i>R Bailis, M Ezzati and DM Kammen</i>	
2B5	Perceived Indoor Environmental Quality	
2B5o1	Perceived air quality and sensory pollution loads in six Danish office buildings	231
	<i>P Wargocki, P Krupicz, A Szczecinsk, PO Fanger and G Clausen</i>	
2B5o2	Sensory detection of VOCs singly and in mixtures: odor and sensory irritation	237
	<i>JE Cometto-Muñiz, WS Cain, MH Abraham and JMR Gola</i>	
2B5o3	Addition and mixture of different pollution sources	243
	<i>O Böttcher and K Fitzner</i>	
2B5o4	Personal computers pollute indoor air: effects on perceived air quality, SBS symptoms and productivity in offices	249
	<i>Z Bakó-Biró, P Wargocki, C Weschler and P. Ole Fanger</i>	
2B5o5	Evaluation of indoor products by sensory and chemical testing. Part I: application of olfactometry in test chambers	255
	<i>T Salthammer and V Kühn</i>	

2B5p1	Evaluation of indoor products by sensory and chemical testing. Part II: comparison of olfactometric and VOC analysis.....	261
	<i>E Massold, V Kühn and T Salthammer</i>	
2B5p2	Perceived air quality, thermal comfort, and SBS symptoms at low air temperature and increased radiant temperature.....	267
	<i>J Toftum, G Reimann, P Foldbjerg, G Clausen and PO Fanger</i>	
2B5p3	Odor intensity of a real room field evaluation and laboratory investigations	273
	<i>O Ramalho</i>	
2B5p4	Determination and evaluation of odour emissions from building materials using a test chamber according to the European pre-standard ENV 13419-1.....	279
	<i>E Mayer and K Breuer</i>	
2B5p5	Impact of ventilation rate, ozone and limonene on perceived air quality in offices	285
	<i>HN Knudsen, A Afshari, L Ekberg and B Lundgren</i>	
2B5p6	Integrating innovative POE technique for workspace assessment.....	291
	<i>B Gumbaketi</i>	
2B5p7	The perceived physical and psychosocial climate in Swedish schools from 1989 to 2000 - a database analysis	296
	<i>K Andersson, L Bodin, I Fagerlund and W Aslaksen</i>	
2B6	Controlling Indoor Climate with HVAC systems	
2B6o1	A comparison of indoor humidity behaviors: all-air and chilled-ceiling with desiccant cooling	301
	<i>L Zhang, J Niu, and H Zuo</i>	
2B6o2	Dehumidification capabilities of cold-coil air-conditioning systems	307
	<i>D Stanke and R Davidson</i>	
2B6o3	A multi-zone climate control system for single-family homes	313
	<i>JH Hwang, JD Chang, and JJ Kim</i>	
2B6o4	A heat and mass transfer analysis of cross-flow air-to-air total heat exchangers made of moisture-permeable paper	319
	<i>Y-C Lee, M-S Jeng, C-Y Huang, J-C Perng, Y-W Chou, F Tsau and H-C Chiang</i>	
2B6o5	Efficiency of electrically heated windows	325
	<i>J Kurnitski</i>	
2B6p1	Influence of different pollutant sources on selection of ventilation system in rooms with cooled ceilings	331
	<i>A Novoselac and J Srebric</i>	
2B6p2	Identification of ventilation problems in an underground bus terminal in Korea	337
	<i>H Han and Y-I Kwon</i>	
2B6p3	HVAC designers and indoor air quality in Poland.....	343
	<i>J Sowa</i>	

2B6p4	Energy consumption of air conditioning systems in UK office environments	349
	<i>IP Knight and GN Dunn</i>	
2B6p5	The mixing effect in large enclosure with nozzle jet fan	355
	<i>M-S Park, D-W Lee, K-H Kim, J-H Lee and Y-C Lim</i>	
2C1	Bioaerosols V - Prevention and Control Treatments	
2C1o1	Measuring the efficacy of mold remediation on contaminated ductwork	360
	<i>JD Krause and YY Hammad</i>	
2C1o2	Effect of liner and core materials of plasterboard on microbial growth, spore-induced cytotoxicity and production of TNFA in macrophages	366
	<i>T Murtoniemi, A Nevalainen, M Suutari and M-R Hirvonen</i>	
2C1o3	Evaluation of air ducts interior liners with and without biocide coating in terms of extent of fungal growth under high humidity, water condensation and soiling conditions	371
	<i>BS Samimi and KR Konar</i>	
2C1o4	Use of in-duct UV-C lamps to inactivate airborne environmental bacteria and fungi	377
	<i>DW VanOsdell and KK Foarde</i>	
2C1p1	Investigation of the prevalence of <i>Legionella</i> species in heating ventilation air conditioning (HVAC) systems	383
	<i>F Martz, S Parat, H Fricker-Hidalgo, C Pinel and C Pascual</i>	
2C1p2	Efficacy of soft electrolyzed water in eradicating <i>Legionella</i> in contaminating water	389
	<i>T Yamayoshi, H Doi, A dedagawa, F Kondou, T Noro, T Mikuni and N Tatsumi</i>	
2C1p3	Healthy sauna	394
	<i>M Saari, M-L Pallari, M Salonvaara, H Kääriäinen, H Viitanen, K Laitinen, I Humala, S Liski-Markkanen and A Malin</i>	
2C1p4	Fungal spores from wet gypsum boards relationship between release and age of culture	400
	<i>J Kildesø, P Kruse, AM Madsen, H Würtz and K Wilkins</i>	
2C1p5	Development of circulating electrolytic disinfecting system and its application for <i>Legionella</i> species	405
	<i>F Kondo, T Noro, T Yamayoshi, H Doi, A Edagawa and T Mikuni</i>	
2C1p6	Detection of <i>Legionella pneumophila</i> in environmental aerosols of cooling towers by impact sampling methods	411
	<i>L Bordenave, S Dubrou, A Mouilleseaux, V Bex, D Carlier and F Squinazi</i>	
2C1p7	One step towards the reduction of indoor allergens	417
	<i>I Holcátová, V Jirků, J Masák and M Holcát</i>	

2C1p8	Self-cleaning and antibacterial surface - first tests	422
	<i>I Holcátová, B Potužníková, V Jirků, J Masák, D Koukalová, M Kolář, V Pochmanová and M Holcát</i>	
2C2	Children's Environmental Health II - Exposures to Bioaerosols	
2C2o1	Environmental factors for asthmatic children in public housing	428
	<i>D Brugge, J Vallarino, L Ascolillo, N-D Osgood, S Steinbach and J Spengler</i>	
2C2o2	Efficacy of environmental interventions to reduce asthma triggers in homes of low-income children in Seattle	432
	<i>TK Takaro, J Krieger, L Song, N Beaudet and J Roberts</i>	
2C2o3	Inflammatory potential of dust from schools associated with building related symptoms	438
	<i>L Allermann, HW Meyer, OM Poulsen and F Gyntelberg</i>	
2C2o4	Comparison of airborne microbial levels in school kitchen facilities and other school areas	444
	<i>P Kalliokoski, U Lignell, T Meklin, J Koivisto and A Nevalainen</i>	
2C2o5	Indoor allergens in schools: a comparison between Sweden and China	449
	<i>Y-H Mi, L Elfman, S Eriksson, M Johansson, G Smedje, J Tao, Y-L Mi and D Norbäck</i>	
2C2p1	Hidden mold sometimes enters the indoor air	455
	<i>P Morey, M Andrew, B Ligman, and J Jarvis</i>	
2C2p2	Indoor air quality in two urban elementary schools: comfort parameters and microbial concentrations in air and carpets	461
	<i>G Ramachandran, JL Adgate, TR Church, D Jones, G Fischer, A Fredrickson, and K Sexton</i>	
2C2p3	Pollen allergen concentrations in a pre-school building and a day-care centre	467
	<i>U Matson, M Kvernes and LE Ekberg</i>	
2C2p4	Occurrence and characteristics of moisture damage in school buildings	473
	<i>J Koivisto, U Haverinen, T Meklin and A Nevalainen</i>	
2C3	Environmental Tobacco Smoke II	
2C3o1	Inhalation of hazardous air pollutants from environmental tobacco smoke in US residences	477
	<i>WW Nazaroff and BC Singer</i>	
2C3o2	Household environmental tobacco smoke (ETS) exposure and risk of childhood asthma - techniques to reduce between-study heterogeneity in a meta-analysis	483
	<i>KL Vork, RL Broadwin and MJ Lipsett</i>	
2C3o3	Assessment of environmental tobacco smoke (ETS) exposure: urinary cotinine concentrations in children are strongly associated with the house dust concentrations of nicotine at home	489
	<i>S Willers, HO Hein and L Jansson</i>	

2C3o4	The effects of smoking status and ventilation upon environmental tobacco smoke concentrations in UK public houses and bars	495
	<i>J Carrington, AFR Watson and IL Gee</i>	
2C3o5	A pilot study of the behavior of gas- and particle-phase ETS tracers in residences	500
	<i>MG Apte, LA Gundel, RL Dod, GM Chang and RG Sextro</i>	
2C3p1	Exposure to environmental tobacco smoke in an automobile	506
	<i>FJ Offermann, R Colfer, P Radzinski and J Robertson</i>	
2C3p2	Indoor air quality in smoking and non-smoking households	512
	<i>IL Gee, L Stewart, AFR Watson, G Fletcher, and R Niven</i>	
2C3p3	Neonatal nicotine withdrawal syndrome: <i>in utero</i> environmental tobacco smoke	518
	<i>Ó García-Algar, C Puig, C Méndez, O Vall, P Zuccaro, R Pacifici and S Pichini</i>	
2C3p4	Passive exposure to tobacco smoke: hair nicotine levels in preschool children	522
	<i>N Kalinić, Lj Skender, V Karačić, I Brčić and V Vađić</i>	
2C3p5	Relationship between environmental tobacco smoke and urinary cotinine levels in passive smokers at their residence	526
	<i>YW Lim, HJ Kim, DC Shin, SJ Lee, SE Park, JY Yang and CS Hong</i>	
2C3p6	Biomarkers of acute and chronic environmental exposure to tobacco smoke during pregnancy	531
	<i>S Pichini, Ó García-Algar, C Puig, O Vall, J Segura, JA Pascual, D Diaz, J Sunyer, L Muñoz, P Zuccaro and R Pacifici</i>	
2C4	Emissions II - Laboratory Measurements	
2C4o1	Emissions of halogenated volatile organic compounds from residential dishwashers	536
	<i>DA Olson and RL Corsi</i>	
2C4o2	Air toxics emissions from a vinyl shower curtain	542
	<i>JCS Chang, R Fortmann and N Roache</i>	
2C4o3	3D-CFD analysis of diffusion and emission of VOCs in a FLEC cavity	548
	<i>S Murakami, S Kato, Q Zhu and K Ito</i>	
2C4o4	Emissions from electronic devices: examination of computer monitors and laser printers in a 1m³ emission test chamber	554
	<i>M Wensing, T Kummer, A Riemann and W Schwampe</i>	
2C4o5	Emissions of air pollutants from burning of incense by using large environmental chamber	560
	<i>S-C Lee, H Guo and N-H Kwok</i>	
2C4o6	Comparison between full- and small-scale sensory assessments of air quality	566
	<i>P Wargocki, J Sabikova, L Lagercrantz, G Clausen and PO Fanger</i>	
2C4p1	TVOC indoor emission from wood based materials and lacquers	572
	<i>A Dziewanowska-Pudliszak and P Gaca</i>	

2C4p2	Full scale test system for indoor impact study of volatile organic compound emissions from building materials	578
	<i>L Antonelli, E Mapelli, S Sanguinetti and A Strini</i>	
2C4p3	Laboratory and real scale comparative study of benzyl alcohol emissions from a two-component epoxy paint	584
	<i>L Antonelli, E Mapelli, A Strini, T Cerulli, R Leoni and S Stella</i>	
2C5	Health Effects of Pollutant Mixtures	
2C5o1	Upper airway and pulmonary effects of terpene oxidation products in BALB/c mice	590
	<i>AC Rohr, CK Wilkins, PA Clausen, M Hammer, GD Nielsen, JD Spengler, and P Wolkoff</i>	
2C5o2	Health effects of a volatile organic mixture with and without ozone	596
	<i>N Fiedler, J Zhang, Z Fan, K Kelly-McNeil, P Lioy, C Gardner, P Ohman-Strickland, and H Kipen</i>	
2C5o3	Eye irritation from exposure to ppb levels of limonene oxidation products	602
	<i>JG Klenø and P Wolkoff</i>	
2C5o4	Terpene/ozone reaction products (tops). Dependence of irritation on reaction time and relative humidity	608
	<i>CK Wilkins, P Wolkoff, PA Clausen, M Hammer and GD Nielsen</i>	
2C5o5	Eye irritation caused by indoor pollutants - an in-depth approach	613
	<i>P Wolkoff, P Skov, C Franck and L Nüchel Pedersen</i>	
2C5p1	A weighted sum parameter to simplify discussion on aldehyde exposure	619
	<i>R Meininghaus, E Bastin, N Gonzalez-Flesca, and A Cicolella</i>	
2C5p2	Sensory irritation of mixture of ethylbenzene and 2-hexanone in mice	625
	<i>J-P Kasanen, A-L Pasanen, K Villberg, K Saarela, P Pasanen and P Kalliokoski</i>	
2C5p3	Effects on nasal mucosa during experimental exposure to mixtures of aldehydes and alcohols-a climate chamber study on humans	630
	<i>G Stridh, K Andersson, J-E Juto, A Hempel Jörgensen, S Kjaergaard and L Mölhave</i>	
2C5p4	Toxic emissions from British and American brands of disposable diapers	636
	<i>R Anderson and J Anderson</i>	
2C5p5	Acute toxicity of marking pen emissions	641
	<i>R Anderson and J Anderson</i>	
2C5p6	Studies on the mutagenicity and tumor inducing potency of artificial fragrances	646
	<i>V Mersch-Sundermann, M Emig, WQ Lu, H Hoelzke, R Gminski and S Boehmer</i>	
2C6	Air Cleaning I	
2C6o1	Measurement and simulation of the indoor air quality impact of gaseous air cleaners in a test house	652
	<i>C Howard-Reed, SJ Nabinger, and SJ Emmerich</i>	

2C6o2	Measuring method of reducing effect of pollutant concentration with absorptive building material	658
	<i>S Kato, Q Zhu, K Ito, Y Ataka and S Murakami</i>	
2C6o3	Improved test methods for electronic air cleaners	664
	<i>JT Hanley, DL Franke, MK Owen, DS Ensor, and LE Sparks</i>	
2C6o4	Indoor ozone and electronic air cleaners	670
	<i>D Bowser and D Fugler</i>	
2C6o5	Impact of an ozone generator air cleaner on styrene concentrations in an indoor air quality research chamber	676
	<i>M Mason, L Sparks, K Krebs and X Liu</i>	
2C6p1	Improvement of IAQ by coating of adsorptive polymer: the development of material, evaluation and its application	682
	<i>M Hori, T Ohkawara, S Handa and T Wakui</i>	
2C6p2	The simple performance testing method for passive type products to remove gaseous formaldehyde	688
	<i>A Hasegawa, H Kimura, H Komine and M Kamata</i>	
2C6p3	Reduction of formaldehyde concentration with charcoal board in a room model	694
	<i>K Shibano, S Yoshizawa, S Goto and Y Ogawa</i>	
2C6p4	Investigation of air pollution purification process by a bioelectrical potential analysis	700
	<i>Y Hasegawa, H Uchida, S Asada, T Katsube and T Oyabu</i>	
2C6p5	Application of heterogeneous photodegradation of indoor air level NO_x under UV irradiation	706
	<i>CH Ao and SC Lee</i>	
2C6p6	Using scanning electron microscopy to visualize photocatalytic mineralization of airborne microorganisms	712
	<i>HT Greist, SK Hingorani, K Kelley and DY Goswami</i>	
2C6p7	Effectiveness of portable air cleaners and upper-room ultraviolet germicidal irradiation for infection control	718
	<i>E Kujundzic, C Howard, M Hernandez and S Miller</i>	
2D1	Bioaerosols VI - Prevention and Control by Drying or Ventilation	
2D1o1	Factors relating to the release of <i>Stachybotrys chartarum</i> spores from contaminated sources	724
	<i>KK Foarde and MY Menetrez</i>	
2D1o2	Dynamics and ventilation effects on airborne microbes at air-conditioned office buildings in Taiwan	730
	<i>PC Wu, HJ Su, YY Li, CY Huang and CM Chiang</i>	
2D1o3	Transport of fungal spores from crawl space to indoors	736
	<i>M Matilainen and P Pasanen</i>	

2D1o4	Mould propagation resulting from air pressure differences across the building envelope.....	742
	<i>T Lee and T Stooke</i>	
2D1o5	Use of fungal detectors to monitor drying of water damaged buildings.....	748
	<i>P Morey, K Abe, E Horner, and B Ligman</i>	
2D1p1	Development of an investigation method for evaluation of microbiological indoor air quality.....	752
	<i>S Sampò, S Bonetta, S Bonetta, S Mosso and E Carraro</i>	
2D1p2	Release of fungal propagules from contaminated surfaces by vibration.....	758
	<i>RL Górný, T Reponen, SA Grinshpun, SH Cho and K Willeke</i>	
2D1p3	Negative influence on IAQ by air movement from mould contaminated constructions into buildings.....	764
	<i>J Mattsson, OE Carlson and IB Engh</i>	
2D1p4	Size relationship between airborne viable bacteria and particulates in a controlled indoor environment study.....	770
	<i>KW Tham and ZM Sultan</i>	
2D1p5	Study of moisture transport across interface between building materials.....	776
	<i>X Qiu, F Haghghat and K Kumaran</i>	
2D1p6	Exterior moisture creates indoor humidity, dewpoint & bioaerosol increases in healthy buildings.....	782
	<i>TJ Ryan, LW Whitehead, TH Connor and KD Burau</i>	
2D2	Children's Environmental Health III - School Policy	
2D2o1	Toward comprehensive federal guidelines for school environmental health.....	788
	<i>B Axelrad and B Jones</i>	
2D2o2	The EFA project: indoor air quality in European schools.....	794
	<i>P Carrer, Y Bruinen de Bruin, M Franchi and E Valovirta</i>	
2D2o3	Education, indoor environment and HVAC solutions in school buildings - consequences of differences in paradigm shifts.....	800
	<i>HL Hansen and SO Hanssen</i>	
2D2o4	NJ IAQ tools for schools network: an innovative approach to achieving good IAQ.....	806
	<i>J Feola, M Hiester and M McGuinness</i>	
2D2o5	Clearing the air: a model for investigating indoor air quality in Texas schools.....	812
	<i>SA Petronella, R Thomas, JA Stone, RM Goldblum and EG Brooks</i>	
2D2o6	The relationship between humidity and indoor air quality in schools.....	818
	<i>CW Bayer, RJ Hendry, SA Crow, and JC Fischer</i>	
2D2p1	School indoor air quality assessment and program implementation.....	824
	<i>R Prill, D Blake and D Hales</i>	

2D3 Natural and Hybrid Ventilation

2D3o1	Potential for natural ventilation in urban context: an assessment method	830
	<i>C-A Roulet, M Germano, F Allard and C Ghiaus</i>	
2D3o2	An approach to the design of natural and hybrid ventilation systems for cooling buildings	836
	<i>J Axley, S Emmerich, S Dols, and G Walton</i>	
2D3o3	Natural ventilation in office buildings - the do's and don'ts	842
	<i>AK Raue, PG Luscuere and AC Boerstra</i>	
2D3o4	Impact of CO₂ concentration, temperature and relative humidity of air on the health and sense of well-being of employees in air-conditioned and naturally ventilated offices	848
	<i>S Muhič and V Butala</i>	
2D3o5	A method to assess the suitability of a climate for natural ventilation of commercial buildings	854
	<i>JW Axley and SJ Emmerich</i>	
2D3p1	Passive modification of air temperature for thermal comfort in a courtyard building for Queensland	860
	<i>U Rajapaksha and R Hyde</i>	
2D3p2	Decentralized building automation and hybrid ventilation at ING HQ's	866
	<i>GA Jansen and PG Luscuere</i>	
2D3p3	The evaluation of HVAC systems and indoor air quality of high-rise apartments	872
	<i>J-Y Sohn, H-D Ham, S-J Kang, N-H Kim</i>	
2D3p4	Reducing the ingress of urban noise through ventilation openings	878
	<i>DJ Oldham, MH de Salis and S Sharples</i>	
2D3p5	Natural ventilation performance in kitchens with transoms replaced with porous screens	884
	<i>CM Chiang, PC Chou, YY Li and CC Chen</i>	
2D3p6	Optimising the design of ventilators for natural ventilation	890
	<i>S Sharples and N Chilengwe</i>	
2D3z1	Barriers to improved ventilation in production housing	896
	<i>C. Dennis Barley</i>	

2D4 Emissions III - Methods and Small Chamber Measurements

2D4o1	Uncertainty of VOC and SVOC measurement - how reliable are results of chamber emission testing?	902
	<i>R Oppl and K Winkels</i>	
2D4o2	A comparative study of the FLEC and a small environmental chamber using a novel reference emitting material (REM)	908
	<i>S Rastan, T Brodie, D Bouchard, J Koziński, F Haghghat and JP Farant</i>	

2D4o3	Multiple headspace extraction gas chromatography for quantification of VOC's in concrete	914
	<i>T Hjellström, L Wadsö and J Kristenson</i>	
2D4o4	Emission of flame retardants from consumer products and building materials	920
	<i>S Kemmlein, O Hahn, O Jann, S Kalus and D Stolle</i>	
2D4o5	Biocide emissions from materials into indoor air	926
	<i>W Horn, O Jann, M Burbiel, O Wilke and S Kalus</i>	
2D4p1	Emission of phthalates from PVC flooring in two very different test chambers	932
	<i>PA Clausen, V Hansen, L Gunnarsen, A Afshari and P Wolkoff</i>	
2D4p2	A simple method to determine the sources of VOCs in indoor air	938
	<i>S Yoshizawa, Y Ezoe, S Goto, T Maeda, O Endo and I Watanabe</i>	
2D4p3	Performance test of a small test chamber (ADPAC) for aldehydes and VOCs emission rates measurements	944
	<i>H Tanaka, S Tanabe and R Funaki</i>	
2D4p4	Study on measurement of semi volatile organic compounds (SVOCs) emitted from indoor materials and products using glass test chamber	950
	<i>K Hoshino, T Imanaka, T Iwasaki and S Kato</i>	
2D4p5	Emission of organic acid esters into indoor	955
	<i>M Fujii, N Shinohara, ALS Siew, and Y Yanagisawa</i>	
2D4p6	New bottom part for the FLEC used to determine flow resistance of floorings to VOC	961
	<i>A Sjöberg</i>	
2D5	Research, Broad National Programs, Overviews	
2D5o1	Analysis of topics and trends in indoor environment research in Europe	967
	<i>C Aylward, PTC Harrison, RS Harris, and P Holmes</i>	
2D5o2	Establishing indoor air quality research priorities	972
	<i>WJ Angell and DT Grimsrud</i>	
2D5o3	Indoor air quality research in South Africa	978
	<i>N Gqaleni</i>	
2D5o4	A priority agenda for energy-related indoor environmental quality research	984
	<i>WJ Fisk, G Brager, M Brook, H Burge, J Cole, J Cummings, H Levin, V Loftness, T Logee, MJ Mendell, A Persily, S Taylor and J Zhang</i>	
2D5o5	The right to healthy indoor air: status by 2002	990
	<i>L Mølhave, M Krzyzanowski and Z Pan</i>	
2D5p1	The Swedish key action "The Healthy Building" - research results achieved during the first three-years period 1998-2000	996
	<i>E Abel, J V Andersson, N Dawidowicz, E Christophersen, S O Hanssen, A-L Lindén, T Lindvall and AL Pasanen</i>	

2D5p2	Center for building and systems TNO-TU/e: a multi-disciplinary approach focused on well-being of people	1002
	<i>PM Bluysen, A de Geus, P Rutten and J Hensen</i>	
2D5p3	European project hope (Health Optimisation Protocol for Energy-efficient Buildings)	1008
	<i>PM Bluysen</i>	
2D5p4	Research and development of indoor air quality in China	1014
	<i>GQ Zhang, YB Yu and Y Zou</i>	
2D6	Air Cleaning II	
2D6o1	Air filtration system in an office building: from design to validation	1020
	<i>M Jamriska and L Morawska</i>	
2D6o2	Examination of the physical and chemical nature of used ventilation filters and collected particulate matter	1026
	<i>CC Coffey, SB Martin, Jr., RB Lawrence, C Calvert, SP Berardinelli, Jr., PA Jensen, JD Pleil, JR Wells, and WG Jones</i>	
2D6o3	Effects of contaminated supply air filters on symptoms from the eyes and nose - a double-blind experimental study	1032
	<i>G Smedje, D Norbäck, G Wieslander and R Wålinder</i>	
2D6o4	Bioaerosol production from indoor air biofilters	1038
	<i>J Mallany, A Darlington, and M Dixon</i>	
2D6o5	Temperature and airflow influences indoor air biofiltration	1044
	<i>DJ Llewellyn, AB Darlington and MA Dixon</i>	
2D6p1	Acclimation and nutrition of indoor air biofilters	1050
	<i>AB Darlington and MA Dixon</i>	
2D6p2	Filter efficiency of selected HVAC filters	1056
	<i>ES Moyer, MA Commodore, J Hayes, and SA Fotta</i>	
2D6p3	Real-time HVAC filter efficiency testing using optical particle counters	1062
	<i>SP Berardinelli, SA Fotta, J Hayes and ES Moyer</i>	
2D6p4	Performance characteristics of soaked air filters	1065
	<i>K Kovanen and R Holmberg</i>	
2D6p5	Particle filtration in a ventilated room	1070
	<i>G Einberg and S Holmberg</i>	
2D6p6	Laboratory determination of indoor air cleaner life span	1076
	<i>A Ginestet, JH Salazar and S Laplanche</i>	
2D6p7	Filter performance guidelines for good IAQ	1082
	<i>T Nathanson, L Morawska and M Jamriska</i>	

3A1	Plenary Lectures: Microbes, Asthma	
3A1o1	Of microbes and men	1
	<i>Nevalainen-plenary</i>	
3A1o2	Asthma and indoor air	10
	<i>TAE Platts-Mills, N Custis, EA Erwin, R Sporik and JA Woodfolk</i>	
3B1	Bioaerosols VII - Health Effects in Moldy Buildings	
3B1o1	An overview of the health effects due to mold exposure	17
	<i>M Shum</i>	
3B1o2	Health effects from <i>Stachybotrys</i> exposure in indoor air: a critical review	23
	<i>JS Weiss, and MK O'Neill</i>	
3B1o3	Assessing health effects of bioaerosols measuring viable spores and microbial volatile organic compounds (MVOC) in residential air	29
	<i>CEW Herr, S Harpel, A zur Nieden, NI Stilianakis and TF Eikmann</i>	
3B1o4	Moisture damage and mold exposure in a hospital building - health effects and IgG-antibodies among personnel	35
	<i>T Husman, U Haverinen, J Koivisto, M Toivola and S Laitinen</i>	
3B1o5	Bacterial strains from moldy building are highly potent inducers of inflammatory and cytotoxic effects	41
	<i>M-R Hirvonen, K Huttunen, J Jussila, T Murtoniemi, E Iivanainen, H Komulainen, A Nevalainen and M Roponen</i>	
3B1p1	Health effects of indoor fungal bioaerosol exposure	46
	<i>F Fung and WG Hughson</i>	
3B1p2	Causal influences of airborne fungi and other factors on symptoms of respiratory allergies	52
	<i>D-W Li, B Kendrick and D Wyse</i>	
3B1p3	<i>Actinomycetes</i> in moist houses, the causative agent of rheumatoid symptoms?	58
	<i>W Lorenz, C Trautmann, R M Kroppenstedt, G Sigrist, E Stackebrandt, M Gareis, I Dill and L Virnich</i>	
3B1p4	Comparison of nasal lavage and cell exposure methods in the assessment of inflammatory potential of the airborne particle material	64
	<i>M Roponen, M Toivola, S Alm, A Nevalainen, J Jussila and M-R Hirvonen</i>	
3B1p5	Indoor air bacteria induce more intense production of inflammatory mediators than fungal spores in mouse and human macrophages	67
	<i>K Huttunen, A Hyvärinen, A Nevalainen, H Komulainen and M-R Hirvonen</i>	
3B1p6	The human IgE reactivity to components of the <i>Stachybotrys</i> fungus	71
	<i>P Raunio, M Kärkkäinen, E Johanning, J Rautiainen, and A-L Pasanen</i>	
3B1p7	Inflammatory rheumatic diseases and mouldy buildings - possible causal mechanisms?	76
	<i>M Seuri, R Myllykangas-Luosujärvi, T Husman and A Nevalainen</i>	

3B2 Building Cleaning

3B2o1	Using the Insta 800 cleaning quality standard for advancing cleaning	81
	<i>A-L Schjøning, T Schneider and J Kildesø</i>	
3B2o2	Indoor air quality and the adequacy of cleaning in 25 Finnish schools	87
	<i>T Pasanen, T Keskkikuru, J Ridell and P Pasanen</i>	
3B2o3	The effect of intensive vacuuming on indoor pm mass concentration	92
	<i>K White and P Dingle</i>	
3B2o4	Health effects, attitudes and perceptions towards cleaning chemicals	98
	<i>P Dingle, R Tan and A Maynard</i>	
3B2o5	Characterization of emission from mechanical polishing of PVC floors	104
	<i>O Bjørseth, JV Bakke, N Iversen and B Martens</i>	
3B2p1	Cleaning methods in relation to particles and allergen at school	110
	<i>G Smedje</i>	
3B2p2	The effects of cleaning on concentrations of surface dust and airborne particles	114
	<i>E Pesonen-Leinonen</i>	
3B2p3	The study of hard floor surface cleaning practices and the effects on dust particulate levels in eight Perth homes	120
	<i>J Nastov, R Tan and P Dingle</i>	
3B2p4	Cleaning quality guidelines for carpets based on measurements of the potential re-suspension of dust	126
	<i>J Kildesø and T Schneider</i>	

3B3 Instruments and Methods

3B3o1	Comparison of methods for measuring concentrations of semi-volatile particulate matter	132
	<i>JJ Jetter, Z Guo, JA McBrian and MR Flynn</i>	
3B3o2	A web-based occupant satisfaction survey for benchmarking building quality	138
	<i>C Huizenga, K Laeser and E Arens</i>	
3B3o3	A sociological approach to validate a questionnaire for the assessment of symptoms and perception of indoor environment in dwellings	144
	<i>K Engvall, C Norrby and E Sandstedt</i>	
3B3o4	Critical review of an AI-based screening tool to evaluate IAQ	150
	<i>KM Dilwali, JF McCarthy and R Foster</i>	
3B3o5	What do "real people" mean by indoor air quality?	156
	<i>GJ Raw, SKD Coward, CE Aizlewood, K Rathouse and DJ Wilde</i>	
3B3p1	New tools to develop internet questionnaire for indoor air quality surveys	162
	<i>E Kähkönen, K Salmi and K Reijula</i>	

3B3p2	Environmental assessment protocols for homes, schools, and child care	166
	<i>BH Turk, D Hadlich, T Brennan, A Duggan, R Shaughnessy, M Vogel, A Abend, S Galbraith, S Hills and M Miller</i>	
3B3p3	Testing indoor air products: one approach to developing widely accepted protocols	172
	<i>DL Franke, DS Ensor, JT Hanley and LE Sparks</i>	
3B3p4	Passive methods for monitoring indoor air quality in museums	178
	<i>T Iwata, C Sano, M Hori, H Tsukahara and N Oba</i>	
3B3p5	Development of a unique ultra-clean full-scale thermal and air quality research facility	184
	<i>JS Zhang, TJ Herrmann, Z Zhang and K Noble</i>	
3B3p6	MARIA: an experimental tool at the service of indoor air quality in housing sector	191
	<i>J Ribéron and P O'Kelly</i>	
3B4	Emissions IV - Physical & Chemical Processes	
3B4o1	Effect of ventilation rate on contaminant emission rates from diffusion-controlled materials	196
	<i>SS Cox, AT Hodgson, and JC Little</i>	
3B4o2	Emission of isocyanates from PUR-adhesives: time course of emission from curing PUR-adhesive	202
	<i>M Wirts and T Salthammer</i>	
3B4o3	Indoor chemical pollution and emission rates investigated in a real sized model room	208
	<i>S Tanabe, R Shirai, M Banno and Y Asai</i>	
3B4o4	Experimental surface mass transfer coefficients in a standard FLEC	214
	<i>J Niu, L Zhang, and TK Wan</i>	
3B4o5	Effects of measurement errors on regression results of the emission parameters of building materials	220
	<i>G He and X Yang</i>	
3B4p1	Modeling of VOCs emissions from a varnish	226
	<i>H Guo, SC Lee and N-H Kwok</i>	
3B4p2	Building materials VOC emissions: a systematic parametric study	232
	<i>H Huang and F Haghighat</i>	
3B4p3	Modeling the VOC emissions of solid/wet building material assembly and its assessment	238
	<i>C-S Lee, F Haghighat, and W Ghaly</i>	
3B4p4	The moisture content and emissions from floors subjected to a moisture load	244
	<i>L Wirtanen, J Eronen and V Penttala</i>	
3B4p5	A universal model of volatile organic compounds in room	250
	<i>T Cheng, J Yi, Y Xu and Y Zhang</i>	

3B5	IAQ Modeling	
3B5o1	Integrated probabilistic and deterministic modeling techniques in estimating exposure to water-borne contaminants; Part 1: Exposure modeling	256
	<i>CR Wilkes, JN Blancato, SC Hern, FW Power and SS Olin</i>	
3B5o2	Integrated probabilistic and deterministic modeling techniques in estimating exposure to water-borne contaminants; Part 2: Pharmacokinetic modeling	262
	<i>JN Blancato, FW Power, CR Wilkes, AM Tsang, SC Hern, and SS Olin</i>	
3B5o3	Application of chemical mass balance modeling to indoor VOCs	268
	<i>D Won, CY Shaw, TA Biesenhal, E Lusztyk, and RJ Magee</i>	
3B5o4	A multi-pollutant model for estimating the impact of pollutants on indoor air quality	274
	<i>LE Sparks</i>	
3B5p1	Analysis of household water-use behavior for use as IAQ model parameters	280
	<i>CR Wilkes, SC Hern, JN Blancato, AD Mason, and LL Niang</i>	
3B5p2	Prediction of indoor nitrogen oxides concentration	286
	<i>I Senitkova and S Vilcekova</i>	
3B5p3	Ventilation in kitchen - aerosol concentration and key components in the vapour	292
	<i>BAndrejs, JFauss, MWeigl, PRietschel</i>	
3B5p4	Prediction of VOC concentration profiles in a newly constructed house using small chamber data and an IAQ simulation program	298
	<i>RJ Magee, A Bodalal, TA Biesenhal, E Lusztyk, M Brouzes, and CY Shaw</i>	
3B5p5	Literature review on micro-environmental modeling	304
	<i>MD Koontz and SS Cox</i>	
3B5p6	Upscaling of material emissions: comparison of small and full-scale chamber results and evaluation of an IAQ simulation model	310
	<i>TA Biesenhal, RJ Magee, A Bodalal, E Lusztyk, M Brouzes, G Nong, and CY Shaw</i>	
3B5p7	A model for estimating sub-lethal effects of irritant gases on egress time in home fire scenarios	316
	<i>T Thomas, S White, S Inkster, M Neily, A Lee and L Saltzman</i>	
3B5p8	Measurement and prediction of pollutant level in public taxi transport interchanges in Hong Kong	322
	<i>WZ Lu, XK Wang, WJ Wang, AYT Leung, ATP So and S M Lo</i>	
3B6	Building Ventilation	
3B6o1	The revision of Standard 62: what a difference a decade makes	328
	<i>A Persily</i>	
3B6o2	CO₂-based occupancy detection for on-line demand controlled ventilation systems	334
	<i>J Sowa</i>	

3B6o3	Review of ventilation system control strategies and effectiveness	340
	<i>PH Raymer</i>	
3B6o4	Assessing the energy impact of ventilation and infiltration in multi-unit residential buildings	346
	<i>B Phillips and D Hill</i>	
3B6p1	Optimal design of all-air systems	352
	<i>A Jönsson</i>	
3B6p2	Outdoor and return airflow mixing with parallel dampers	358
	<i>C Sun, F Finaish and HJ Sauer</i>	
3B6p3	Advantageousness comparison of air ventilation systems	364
	<i>A Saari</i>	
3B6p4	Effects of continuous ventilation on indoor air quality (IAQ)	370
	<i>J Wempen</i>	
3B6p5	Effects of HVAC ventilation efficiency on the concentrations of formaldehyde and total volatile organic compounds in office buildings	376
	<i>Y-Y Li, P-C Wu, H-J Su, P-C Chou, C-M Chiang</i>	
3B6p6	Estimation of air infiltration of buildings based on the degree of air tightness and climatic data	382
	<i>A Binamu and R Lindberg</i>	
3B6p8	Analysis of ventilation rates for the BASE study: assessment of measurement uncertainty and comparison with ASHRAE 62-1999	388
	<i>JF Ludwig, BJ Baker and JF McCarthy</i>	
3C1	Children's Environmental Health IV - Health Effects of Bioaerosol Exposures	
3C1o1	Moulds and health - an epidemiological study	394
	<i>HW Meyer, H Würtz, O Valbjørn, T Sigsgaard and F Gyntelberg</i>	
3C1o2	The "healthy pet-keeping effect:" Pet-keeping in early childhood as a risk or a protection against allergic symptoms later in life	398
	<i>CG Bornehag, J Sundell, L Hägerhed, and S Janson</i>	
3C1o3	Comparison of the perceived indoor climate and symptoms reported by students and personnel in 16 senior high schools in Sweden	399
	<i>K Andersson, G Stridh, I Fagerlund, W Aslaksen and S Rudblad</i>	
3C1o4	Microbial exposure and mold specific serum IgG levels of symptomatic schoolchildren	404
	<i>A Hyvärinen, T Husman, S Laitinen T Meklin, T Taskinen, M Korppi and A Nevalainen</i>	
3C1o5	Current asthma, respiratory infections and hypersensitivity to moulds in pupils in Shanghai, China, in relation to microbial components in the classrooms	410
	<i>D Norbäck, Y-H Mi, L Larsson, L Wady, J Tao and Y-L Mi</i>	

3C1p1	Effects of moisture damage repair on microbial exposure and health effects in schools	416
	<i>T Meklin, T Husman, J Pekkanen, A Hyvärinen, M-R Hirvonen and A Nevalainen</i>	
3C1p2	Moulds in the dust collector and health - children aged 7-10	421
	<i>T Sigsgaard, K Plesner, A. Høst, HW Meyer and H Würtz</i>	
3C1p3	Evaluating effects of moisture damage repairs on students' health using questionnaires	425
	<i>U Haverinen, J Pekkanen, A Nevalainen and T Husman</i>	
3C1p4	Dampness in buildings and health. Dampness at home as a risk factor for symptoms among 10,851 Swedish children (DBH-step 1)	431
	<i>CG Bornehag, J Sundell, L Hägerhed, S Janson</i>	
3C2	Sick Building Syndrome I - Building Factors	
3C2o1	Relationship of SBS-symptoms and ventilation system type in office buildings	437
	<i>O Seppänen and WJ Fisk</i>	
3C2o2	Indoor carbon dioxide concentrations and sick building syndrome symptoms in the BASE study revisited: analyses of the 100 building dataset	443
	<i>CA Erdmann, KC Steiner, and MG Apte</i>	
3C2o3	Call-centre occupant response to new and used filters at two outdoor air supply rates	449
	<i>P Wargocki, DP Wyon, JB Nielsen and PO Fanger</i>	
3C2o4	Sick building syndrome (SBS) in relation to energy conservation, and reconstruction in older multi-family houses in Stockholm, Sweden	455
	<i>K Engvall, C Norrby and D Norbäck</i>	
3C2o5	Do building-related complaints reflect expectations?	461
	<i>W Bischof, S Brasche, B Kruppa and M Bullinger</i>	
3C2p1	Sick building syndrome symptoms and performance in a field laboratory study at different levels of temperature and humidity	466
	<i>L Fang, DP Wyon, G Clausen and PO Fanger</i>	
3C2p2	An intervention study of the relationships between indoor air-related health problems, productivity and cleanliness in an office setting	472
	<i>SK Nilsen, P Blom, J Rydock, J Nersveen and KI Fostervold</i>	
3C2p3	What are “office workers” in Estonia and what do they complain?	478
	<i>A Soon and E Indermitte</i>	
3C2p4	Indoor climate complaints among employees at geriatric hospitals	484
	<i>HT Smedbold, D Norbäck, and B Hilt</i>	
3C2p5	A case of sick building syndrome caused by incorrect ventilation design of the tight building	490
	<i>J Wang, J-l Li and C-y Zhao</i>	

3C2p6	Sick building syndrome (SBS) among school employees in the county of Uppsala, Sweden	494
	<i>B Sahlberg, G Smedje and D Norbäck</i>	
3C3	Indoor Air Chemistry and Pollutant-Surface Interactions	
3C3o1	Experiments probing the influence of air exchange rates on particles generated by indoor chemistry	500
	<i>CJ Weschler and HC Shields</i>	
3C3o2	The significance of secondary organic aerosol formation and growth in buildings: experimental and computational evidence	506
	<i>G Sarwar, R Corsi, D Allen, and C Weschler</i>	
3C3o3	Effect of gaseous ammonia on nicotine sorption	512
	<i>AM Webb, BC Singer, and WW Nazaroff</i>	
3C3o4	An evaluation of how NO₂, NO, O₃ and relative humidity interacts in the oxidation of terpenes	518
	<i>L Pommer, J Fick, B Andersson and C Nilsson</i>	
3C3o5	Rapid measurements of indoor mass-transfer coefficients	524
	<i>GC Morrison, M Ongwandee, H Chang, and J Portman</i>	
3C3p1	CFD analysis of chemically reactive pollutants in 2D test room	530
	<i>K Ito, S Kato, Q Zhu and S Murakami</i>	
3C3p2	Experimental design as a tool to study gas-phase reactions in ventilation ducts	536
	<i>J Fick, L Pommer, B Andersson and C Nilsson</i>	
3C3p3	Measurements of emission and sink effects for wall covering materials by using a small chamber ADPAC	540
	<i>R Funaki, H Tanaka, and S Tanabe</i>	
3C3p4	VOC sorption of activity related contaminants - influence of boundary layer diffusion	546
	<i>P Hansson and H Stymne</i>	
3C3p5	Lumped parameter model for predicting the sink effect of volatile organic compounds in indoor environment	552
	<i>D Sambinello and S Piva</i>	
3C3p6	Characterization of the sink effect of VOCs on building materials, with specific emphasis on painted surfaces	558
	<i>J Popa and F Haghghat</i>	
3C3p7	Investigating the influence of the wall materials and thickness on the reversible sink effect	564
	<i>A Damian, P Blondeau and AL Tiffonnet</i>	

3C4 Emissions V - Control

3C4o1	Barriers to reduce emission rates from diffusion-controlled materials	570
	<i>D Kumar and JC Little</i>	
3C4o2	Implementation of VOC source reduction practices in a manufactured house and in school classrooms	576
	<i>AT Hodgson, MG Apte, DG Shendell, D Beal and JER McIlvaine</i>	
3C4o3	Controlling odorous emissions from office furniture	582
	<i>MS Black, DR Cortes, and BK Ligman</i>	
3C4o4	Experiences from the emission classification of building materials in Finland	588
	<i>E Kukkonen, K Saarela and P Neuvonen</i>	
3C4p1	Results from house appliance safety and depressurization tests conducted on single family houses undergoing sound insulation	594
	<i>DL Bohac</i>	
3C4p2	It's time to sound the alarm regarding high capacity exhaust devices	600
	<i>JC Haysom, PH Huelman and D Fugler</i>	
3C4p3	House depressurization and backdrafting: follow-up survey and standardization	606
	<i>NL Nagda and MD Koontz</i>	
3C4p4	Status of the indoor climate labeling scheme in Denmark	612
	<i>T Witterseh</i>	
3C4p5	A pre-study of HCHO and VOCs emissions from building materials for setting emission criteria	615
	<i>W-J Jo, H-S Kim, J-Y Cheon</i>	
3C4p6	What is behind TVOC in m1 -classified construction and finishing materials - VTT's experience	619
	<i>K Saarela, K Villberg and T Tirkkonen</i>	
3C4p7	The apportionment of volatile organic compounds and the effect of remedial action at two indoor air problem sites	625
	<i>H Järnström and K Saarela</i>	
3C4p8	Potential for reducing styrene exposures from copied paper through use of low-emitting toners	631
	<i>DB Henschel, RC Fortmann, NF Roache, and X Liu</i>	
3C4z1	Room chamber assessment of pollutant emission properties of low-emission un-flued gas heaters	637
	<i>SK Brown, M Cheng and KJ Mahoney</i>	

3C5 Guidelines, Government programs, Policy

3C5o1	Finnish classification of indoor climate 2000: revised target values	643
	<i>J Säteri</i>	

3C5o2	Development of guidelines for healthy home construction in the United States and challenges faced in the process	649
	<i>R Shaughnessy, T Brennan, J Lstiburek, and H Levin</i>	
3C5o3	Indoor air quality legislation in South Africa	655
	<i>J Gansan, N Gqaleni and JE Ehiri</i>	
3C5o4	Indoor air quality and energy efficiency in the design of building services systems for school classrooms	661
	<i>KL Tam</i>	
3C5o5	Sustainable building practices in California state buildings	666
	<i>L Alevantis, K Frevert, R Muller, H Levin, and A Sowell</i>	
3C5p1	Feelgoodbuilding: IEQ dissemination reinvented	672
	<i>AC Boerstra and AK Raue</i>	
3C5p2	Increasing the value of a building by addressing well being - the principal tools: thermal and olfactory comfort	678
	<i>D von Kempster</i>	
3C5p3	What Chinese prefer for indoor air	684
	<i>N Zhu, J J Liu and Z Tian</i>	
3C5p4	A pilot study of the predestined planning conditions and the indoor environment	690
	<i>U Hammargren</i>	
3C5p5	Developing a method for labeling the indoor environment of a home	696
	<i>M Björck</i>	
3C5p6	Residential indoor air quality investigator training in Canada	701
	<i>V Salares and K Ruest</i>	
3C5p7	Office building ministry of transport at Terneuzen, The Netherlands: low energy, high thermal comfort and high sustainability in one concept	706
	<i>A van der Aa, HHEW Eijdem, and JJM Cauberg</i>	
3C6	Modeling Studies of Thermal Comfort	
3C6o1	Calculation of thermal comfort from CFD-simulation results	712
	<i>H Koskela and J Heikkinen</i>	
3C6o2	Simulation study on the summer thermal performance of a typical Chinese traditional residential building Anhui residence	718
	<i>L Song, B Lin and Y Zhu</i>	
3C6o3	Prediction of global comfort in air conditioned building with a zonal model	724
	<i>E Rutman, C Inard, A Bailly and F Allard</i>	
3C6o4	Experiences of predicting transient surface temperatures	730
	<i>P Tuomaala, K Piira and J Piippo</i>	
3C6o5	Simulation of a subway environment for evaluation of the thermal comfort	736
	<i>K Fukuyo, Y Shimoda and M Mizuno</i>	

3C6p1	Study on the thermal environment in buildings with large-scale atriums and large area of glass surface	742
	<i>X Li, J Du and Z Jin</i>	
3C6p2	A tool for thermal analysis of conceptual design	748
	<i>JP den Hartog, PG Luscuere and EJ van Dijk</i>	
3C6p3	Interferometric modeling of temperature fields in ventilated and heated spaces	754
	<i>M Pavelek and E Janotkova</i>	
3C6p4	Room average velocity equation - a tool to improve design of thermal comfort conditions	760
	<i>K Hagström, O Hakkola and T Moilanen</i>	
3C6p5	Numerical and experimental investigations of air flow and temperature patterns of a low velocity diffuser	765
	<i>M Cehlin and B Moshfegh</i>	
3C6p6	Study on the thermal performance and air distribution of a displacement ventilation system for large space application	771
	<i>K Sakai, E Yamaguchi, O Ishihara and M Manabe</i>	
3C6p7	Research on the fluctuating characteristics of airflow in the naturally ventilated buildings	777
	<i>G Tan, L Song, and Y Zhu</i>	
4A1	Plenary Lectures: Sustainability, Global Impacts of IAQ	
4A1o1	Sustainability and indoor air quality	1
	<i>N Kohler</i>	
4A1o2	The global burden of disease from indoor air pollution: results from comparative risk assessment	10
	<i>KR. Smith, S Mehta, and M Feuz</i>	
4B1	Bioaerosols VIII - Understanding & Controlling Building Moisture	
4B1o1	Ventilation and moisture sources in apartments	20
	<i>L Gunnarsen and M Hjorslev Hansen</i>	
4B1o2	Humidity states in the indoor air under the influence of the surrounding building elements	26
	<i>J Dreyer, T Bednar and C Hecht</i>	
4B1o3	Modeling moisture in residential buildings with a multi-zone IAQ program	32
	<i>SJ Emmerich, AK Persily, and SJ Nabinger</i>	
4B1o4	Failure modes and effects analysis (FMEA) used on moisture problems	38
	<i>A Nielsen</i>	
4B1o5	A simulation tool for hygrothermal analysis	44
	<i>N Mendes</i>	

4B1p1	Inspector-reported and objective measurement of indoor moisture in homes of asthmatic children	50
	<i>P Lowenthal, K Mortimer, K Hammond, J Macher and I Tager</i>	
4B1p2	Identifying water and moisture infiltration paths in building envelopes	56
	<i>LP Lazure and J Lavoie</i>	
4B1p3	ORM (optimal removal of moisture from water damaged building constructions) - mould growth	62
	<i>J Mattsson, I Grønli, P Blom and OA Braathen</i>	
4B1p4	Time-dependent moisture properties for plasterboard with surface coating	66
	<i>K Svennberg and L-E Harderup</i>	
4B1p5	A program of drying and microbial growth prevention in a hospital following an accidental water release	72
	<i>MS Smith, LR Lee, and LL Hilken</i>	
4B2	Sick Building Syndrome II - Chemical Exposures	
4B2o1	VOC-related sensory symptoms in office buildings	78
	<i>V Herzog, J Witthauer, S Brasche, W Bischof</i>	
4B2o2	Multivariate evaluation of VOCs in homes and office buildings with and without known SBS complaints	84
	<i>A-L Sunesson, J Gullberg, K Olsson-Köhler and G Blomquist</i>	
4B2o3	The indoor environmental index and its relationship with occupant symptoms	90
	<i>DJ Moschandreas and SC Sofuoglu</i>	
4B2o4	Class separation of buildings with high and low prevalence of SBS by principal component analysis	96
	<i>L Pommer, J Fick, B Andersson, J Sundell, C Nilsson, M Sjöström and B Stenberg</i>	
4B2o5	Women's chemical sensitivity and chemical exposures indoors and outdoors	102
	<i>B Berglund and L Zheng</i>	
4B2p1	TXIB-emission from floor structure as a marker of increased risk for some specific symptoms	108
	<i>P Metiäinen, H Mussalo-Rauhamaa and M Viinikka</i>	
4B2p2	Damaged flooring material and absenteeism in an office	114
	<i>E Palomäki, M Seuri, A Tuomainen and J Uitti</i>	
4B2p3	Field survey on indoor air quality and occupants' health conditions in sick houses	119
	<i>H Yoshino, K Amano, K Ikeda, A Nozaki, N Iida, K Kakuta, S Hojo and S Ishikawa</i>	
4B2p4	The environment and multiple chemical sensitivity	125
	<i>RA Fox</i>	
4B2p5	Methods to "investigate a sick building"	130
	<i>T Hall and L-O Nilsson</i>	

4B2p6	Comparison of personal VOC exposures of multiple chemical sensitivity patients and non-patients	136
	<i>N Shinohara and Y Yanagisawa</i>	
4B3	Semivolatile Organic Compounds	
4B3o1	PCB in indoor air and dust in buildings in Stockholm	141
	<i>R Corner, M Sundahl, L Rosell, B Ek-Olausson and M.Tysklind</i>	
4B3o2	Characterization of polychlorinated biphenyls in building materials and exposures in the indoor environment	147
	<i>KM Coghlan, MP Chang, DS Jessup, MA Fragala, K McCrillis, and TM Lockhart</i>	
4B3o3	Small particles containing phthalic esters in the indoor environment - a pilot study	153
	<i>B Lundgren, C-G Bornehag, L Cedheim, L Rosell, and L Hägerhed</i>	
4B3o4	Role of dust analysis in complaint resolution of indoor air quality	159
	<i>DR Cortes, AG Worthan and MS Black</i>	
4B3o5	Indoor air principles applied to a legal case involving phenol poisoning	165
	<i>V Salares</i>	
4B3p1	Remediating PCB-containing building products; strategies and regulatory considerations	171
	<i>M Chang, K Coghlan, and J McCarthy</i>	
4B3p2	Phthalate diester levels in personal air samples during pregnancy in two urban populations	177
	<i>J Adibi, R Whyatt, D Camann, K Peki, W Jedrychowski, and F Perera</i>	
4B3p3	Development of a microanalysis method of phthalate esters in indoor air and its application to practical measurement	183
	<i>T Matsumura, M Hamada, T Imanaka and S Muramatsu</i>	
4B3p4	Measurement technique for particulate phthalate ester in indoor air	188
	<i>T Imanaka, T Iwasaki, K Hoshino and T Matsumura</i>	
4B3p5	LC/MS method to determine plasticizers in indoor dust	193
	<i>R Nagorka, C Scheller, D Ullrich and B Seifert</i>	
4B4	Pollutant Transport and Mixing I	
4B4o1	Simulation of contaminant transport in large-scale zonal models of complex building envelopes	199
	<i>CE Hickox, JE Brockmann, F Gelbard, RO Griffith, TJ Heames, and KK Murata</i>	
4B4o2	Contributions to simplified modeling of building airborne pollutant removal	205
	<i>G Carrilho da Graca and PF Linden</i>	
4B4o3	Rapidly locating sources and predicting contaminant dispersion in buildings	211
	<i>MD Sohn, P Reynolds, AJ Gadgil and RG Sextro</i>	

4B4o4	Modeling transient contaminant transport in HVAC systems and buildings	217
	<i>CC Federspiel, H Li, DM Auslander, D Lorenzetti and AJ Gadgil</i>	
4B4o5	Mixing of a point-source indoor pollutant: numerical predictions and comparison with experiments	223
	<i>C Lobscheid and AJ Gadgil</i>	
4B4o6	Mixing characteristics of a continuously emitting point source in a room	229
	<i>W Ott, S McBride and P Switzer</i>	
4B4p1	Study of food odour concentration and dispersion in an atrium	235
	<i>F Wang and M Tait</i>	
4B4p2	Developing new scales of indoor air quality for assessing the contribution of pollutant sources	242
	<i>T Kim, S Kato and S Murakami</i>	
4B4p3	Numerical prediction of contaminant distribution in a food processing clean room	248
	<i>O Rouaud, M Havet and C Sollicec</i>	
4B5	Novel Air Distribution	
4B5o1	IAQ, energy, and cost implications of underfloor air distribution systems	254
	<i>R Brahme, V Loftness, M Mondazzi, E Vineyard, and M MacDonald</i>	
4B5o2	Thermal stratification performance of underfloor air distribution (UFAD) systems	260
	<i>TL Webster, FS Bauman, J Reese and M Shi</i>	
4B5o3	Computer modeling of underfloor air supply system	266
	<i>JJ Kim, JD Chang, and JC Park</i>	
4B5o4	Antipodal ventilation - a conceptual introduction	272
	<i>Z Lin, T T Chow and Y Li</i>	
4B5o5	Improving indoor air quality in schools by utilizing displacement ventilation system	278
	<i>D Holland and A Livchak</i>	
4B5p1	Experimental comparison of characteristics between ceiling-based system and floor-based system using CAV HVAC system in cooling period	283
	<i>Y-T Chae, H-J Moon, B-W Ahn and J-Y Sohn</i>	
4B5p2	Study of an innovative partition-type personal modulation air-conditioning system	289
	<i>H Chiang, CC Su, CS Pan and FH Tsau</i>	
4B5p3	Façade-integrated ventilation units with heat recovery - energy efficiency and indoor air quality	295
	<i>FD Heidt, S Höptner and V Kalender</i>	
4B5p4	Experimental and numerical studies on local high efficiency air conditioning system for office buildings	301
	<i>I Izuhara, R Kuwahara and K Mizutani</i>	

4B5p5	Geoexchange & low exergy buildings	307
	<i>P Platell, D Schmidt and G Jóhannesson</i>	
4B5p6	Customised environment - an holistic clean air solution	313
	<i>R Kohonen, J Valkenburg, D J C Gill, P-O Danielsson and L Bartek</i>	
4C1	Bioaerosols IX - Exposures in Workplaces	
4C1o1	Microorganisms, MVOCs and the health complaints	319
	<i>B Wessén, J Honkanen and B Mälarstig</i>	
4C1o2	Two unusual clusters of joint symptoms associated with sewer gases, mold exposure and atypical mycobacteria	323
	<i>T Husman, E Iivanainen, S Rautiala and A Tuomainen</i>	
4C1p1	An analysis of outdoor air reference samples collected in the Mid-Atlantic region of the United States	329
	<i>M McGuinness, P McGuinness, M Dieda, M Yuran, D Wieller and A Warner</i>	
4C1p2	MVOC emissions from fungi in HVAC systems	335
	<i>JS Park and K Ikeda</i>	
4C1p3	Practical experiences with MVOC as an indicator for microbial growth	341
	<i>W Lorenz, T Diederich and M Conrad</i>	
4C1p4	Microbial analysis of deposit dust on surfaces in buildings offices equipped with central air-conditioning installations: proposed microbial practical values with a new standardized method	347
	<i>C Chasseur, S Gofflot and N Nolard</i>	
4C1p5	Concentrations of airborne bacteria in 100 U.S. Office buildings	353
	<i>FC Tsai, JM Macher and Y-Y Hung</i>	
4C1p6	Concentrations of cat and dust mite allergens in 93 U.S. Office buildings	359
	<i>JM Macher, FC Tsai, LE Burton and K-S Liu</i>	
4C1p7	Correlations of particles, allergens, fungi and bacteria in air and chair dust in a hospital setting	365
	<i>CY Rao and JM Cox-Ganser</i>	
4C1p8	Aspergillus air pollution in operating theatres	371
	<i>N Vescia, D D'Alessandro, E De Simoni, M Fabiani and O Maggi</i>	
4C1p9	Exposure of workers to mites in Finnish stores	377
	<i>A Harju, T Husman, K Immonen, R Merikoski and S Pennanen</i>	
4C2	Sick Building Syndrome III	
4C2o1	Self-reported eye complaints and measurements of the superficial lipid layer of the tear film - comparison of risk factor profiles	382
	<i>S Brasche, M Bullinger, A Petrovitch, E Mayer, H Gebhardt, V Herzog and W Bischof</i>	

4C2o2	Eye trigeminal sensitivity, tear film stability, and conjunctival epithelium damage in 182 non-allergic, non-smoking Danes	388
	<i>SK Kjærsgaard, A Hempel-Jørgensen, L Mølhave, K Andersson, J-E Juto and G Stridh</i>	
4C2o3	Effects of low humidity on sensation of eye dryness caused by using different type of contact lenses in summer season	394
	<i>H Tsutsumi, A Toyota, T Akimoto, S Tanabe and T Suzuki</i>	
4C2o4	Limiting criteria for human exposure to low humidity indoors	400
	<i>DP Wyon, L Fang, HW Meyer, J Sundell, CG Weirsøe, N Sederberg-Olsen, H Tsutsumi, T Agner and PO Fanger</i>	
4C2o5	Recall, information and ascertainment bias - fatal methodological flaws in studies of indoor air quality and adverse health	406
	<i>JS Weiss, and MK O'Neill</i>	
4C2p1	The relationship between indoor climate and salt concentration in the soup	412
	<i>T Sasaki, M Uozumi, M Sugawara and M Hayashi</i>	
4C2p2	Individual and environmental variables in relation to indoor air symptoms among office employees	418
	<i>K Skyberg, K Skulberg, W Eduard, K Kruse, E Skåret, F Levy and H Kjuus</i>	
4C2p3	Psychological factors influencing SBS symptom reporting	424
	<i>A Gidlöf Gunnarsson and B Berglund</i>	
4C2p4	Individual differences in sensitivity to indoor air complaints: physical or psychological?	430
	<i>JL Leyten and AC Boerstra</i>	
4C2p5	Personal and environmental characteristics, occupational factors and psychosocial correlates of sick building syndrome	432
	<i>K Heslop</i>	
4C3	IAQ Surveys	
4C3o1	Prevalence of potential sources of indoor air pollution in U.S. Office buildings	438
	<i>JR Girman, BJ Baker and LE Burton</i>	
4C3o2	The Hokkaido healthy housing (H3) study: study design and baseline findings	444
	<i>S Nakai, M Takeda, K Nishiyama, N Shinohara, K Kumagai and Y Yanagisawa</i>	
4C3o3	The French permanent survey on indoor air quality survey design in dwellings and schools	449
	<i>S Kirchner, N Pasquier, D Cretier, S Gauvin, F Golliot, D Pietrowski and C Cochet</i>	
4C3o4	Air pollutant exposure of adult population in Milan (EXPOLIS study)	455
	<i>M Maroni, P Carrer, D Cavallo, M Jantunen, K Katsouyanni, N Kuenzli, R Sràm, D Zmirou, and M Della Torre</i>	
4C3o5	Indoor air quality in English homes - introduction and carbon monoxide findings	461
	<i>GJ Raw, SKD Coward, JW Llewellyn, VM Brown, DR Crump and DI Ross</i>	

4C3p1	Indoor air quality in English homes - nitrogen dioxide	467
	<i>SKD Coward, GJ Raw, JW Llewellyn and DI Ross</i>	
4C3p2	Indoor air quality in English homes - formaldehyde	473
	<i>VM Brown, SKD Coward, DR Crump, JW Llewellyn, HS Mann and GJ Raw</i>	
4C3p3	Indoor air quality in English homes - VOCs	477
	<i>VM Brown, SKD Coward, DR Crump, JW Llewellyn, HS Mann and GJ Raw</i>	
4C3p4	A study of the IAQ of residential buildings in Singapore	483
	<i>NH Wong, BRJ Huang, KW Tham, C Sekhar and DKW Cheong</i>	
4C3p5	The perception of dust and dirt in Swedish school environments	489
	<i>K Andersson, G Stridh, I Fagerlund and W Aslaksen</i>	
4C3p6	One year measurement of indoor air quality in building offices	494
	<i>A Ginestet, M Henninot and D Pugnet</i>	
4C3p7	Indoor air quality of office buildings in the Helsinki area	500
	<i>H Salonen, K Reijula, R Riala, S Lappalainen, and T Tuomi</i>	
4C4	Pollutant Transport and Mixing II	
4C4o1	Modeling the spread of anthrax in buildings	506
	<i>RG Sextro, DM Lorenzetti, MD Sohn, and TL Thatcher</i>	
4C4o2	Improved transport modeling for indoor air pollutants by adding zonal modeling capability to a multi-zone model	512
	<i>Z Ren and JR Stewart</i>	
4C4o3	A zonal model for predicting simultaneous heat and moisture transfer in buildings	518
	<i>KC Mendonça, C Inard, E Wurtz, FC Winkelmann and F Allard</i>	
4C4o4	Numerical simulations of indoor air quality in a French house: study of the distribution of pollutants in each room, modeling contaminant exposure	524
	<i>B Ribot, QY Chen, JM Huang and H Rivoalen</i>	
4C4o5	Study of particle dispersion in buildings with large eddy simulation	530
	<i>Y Jiang, C Beghein and Q Chen</i>	
4C4o6	Reinforced exhaust system: local ventilation with enhanced capture range	536
	<i>D Gubler, A Moser, P Sprecher and T Rueegg</i>	
4C4p1	Application of visualization methods in local exhaust research	542
	<i>E Janotkova and M Pavelek</i>	
4C4p2	Study of particle movement in ventilation system	548
	<i>Y Li, J Heng and Z Chen</i>	
4C4p3	Prediction of particle deposition in turbulent indoor flows with a 3D Lagrangian model	554
	<i>M Abadie, K Limam and F Allard</i>	

4C5 World Bank Symposium - Indoor Air Quality and Health in Developing Countries I

4C5o1	Respirable particulate levels in rural households of Andhra Pradesh, India - daily concentrations and time activity data	560
	<i>K Balakrishnan, S Sankar, R Padmavathi, J Arnold, S Mehta, KR Smith, C Rao, S Kumar, P Kumar, S Akbar and K Lvovsky</i>	
4C5o2	Levels and determinants of indoor air pollution exposure in young Guatemalan children	566
	<i>N Bruce, J McCracken, R Albalak, M Schei, KR Smith and V Lopez</i>	
4C5o3	Exposure assessment for a rural community using biomass fuel in traditional and improved stoves	572
	<i>RS Patil and S Dash</i>	
4C5o4	Relationship among personal, indoor and outdoor fine particle concentrations for individuals with chronic obstructive pulmonary disease living in three areas of Mexico City	578
	<i>M Cortez Lugo, F Holguin Molina, M Hernández Avila, E Palazuelos Rendón and R Santibáñez Ruelas</i>	
4C5o5	Addressing health and household energy problem in Zimbabwe	584
	<i>L Mika</i>	
4C5p1	Reducing indoor air pollution through participatory development in rural Kenya	590
	<i>N Bruce, E Bates, R Nguti, S Gitonga, J Kithinji and A Doig</i>	
4C5p2	Using household characteristics to predict respirable particulate levels in rural households of Andhra Pradesh, India	596
	<i>S Mehta, KR Smith, K Balakrishnan, S Sankar, R Padmavathi, S Kumar and S Akbar</i>	
4C5p3	Modeling of indoor-outdoor relation of air pollutants in Mumbai City	602
	<i>RS Patil and VA Kumar</i>	
4C5p4	The investigation and analysis of indoor air pollution in China	607
	<i>Z Tonghua, T Guangbei, W Lai, C Hua and L Jing</i>	
4C5p5	Residential air quality in wood burning houses in Costa Rica	612
	<i>K Lee and E Park</i>	
4C5p6	Impact of indoor air pollutants on health of women – a case study	618
	<i>A Mandal and S Mandal</i>	
4C5p7	Impact of ambient air pollutants on the indoor air quality in Mumbai	623
	<i>JM Deshpande and UD Holla</i>	
4C6 Thermal Comfort I		
4C6o1	Thermal comfort in real live buildings: proposal for a new Dutch guideline	629
	<i>AC Boerstra, SR Kurvers and AC van der Linden</i>	

4C6o2	Effects of velocity variations in ventilated room on comfort, affect and cognitive performance	635
	<i>H Wigö, I Knez and M Sandberg</i>	
4C6o3	Optimal temperature setting of indoor air-conditioning after walking outdoors in summer and winter	641
	<i>A Ohori, M Harada and S Kuno</i>	
4C6o4	Thermal comfort and thermoregulation for elderly people taking light exercise	647
	<i>K Tsuzuki and T Iwata</i>	
4C6o5	Effect of replacement air systems on kitchen comfort	653
	<i>D Schrock, D Beardslee and Z Sun</i>	
4C6p1	Thermal sensation and thermoregulation in elderly compared to young people in Japanese winter season	659
	<i>K Tsuzuki and T Ohfuku</i>	
4C6p2	Field investigations on comfort in office buildings	665
	<i>J Ribéron and P O'Kelly</i>	
4C6p3	The impact of humidity on health and comfort in an office building	671
	<i>CE Aizlewood, SKD Coward, L Hamilton, GJ Raw and DJ Wilde</i>	
4C6p4	Evaluating the thermal quality of a room	677
	<i>B Kvisgaard</i>	
4C6p5	Measurement of the airflow and temperature fields around live subjects and the evaluation of human heat loss	683
	<i>GH Zhou, DL Loveday, AH Taki and KC Parsons</i>	
4C6p6	Numerical calculation of mean radiant temperature and temperature asymmetry for complex room geometry	689
	<i>M Prek</i>	
4C6p7	Evaluation of thermal comfort in ceiling cooling system	695
	<i>J-Y Lee, K Natsumi and N Isoda</i>	
4C6p8	Measurement and analyses of the thermal micro-climate in cars	701
	<i>S Quanten, K Janssens, P McKenna, JM Aerts, PC Young and D Berckmans</i>	
4D1	Bioaerosols X - Exposures in Residences	
4D1o1	Microbial volatile organic compounds (MVOC) as indicators for fungal damage	707
	<i>H Schleibinger, C Brattig, M Mangler, H Samwer, D Laußmann, D Eis, P Braun, D Marchl, A Nickelmann and H Rüden</i>	
4D1o2	Microorganisms and volatile organic compounds in airborne dust from damp residences	713
	<i>A Nilsson, E Kihlström, V Lagesson, B Wessén, B Szponar, L Larsson, and C Tagesson</i>	
4D1o3	Modeling of house dust mite concentration	719
	<i>E Hasselaar</i>	

4D1o4	House dust mites, humidity of room air and flooring materials	725
	<i>L Gunnarsen, K Sidenius and TE Hallas</i>	
4D1o5	Measurements on fungi and mites in houses in the environs of Tokyo	731
	<i>F Shinohara, T Iwata and H Tsukahara</i>	
4D1p1	Mold problems in first nations housing in Canada	737
	<i>V Salares, K Ruest and B Boles</i>	
4D1p2	Prevalence of <i>Stachybotrys</i> in outdoor air of Houston area residences	743
	<i>KB Dotson and JE Schneider, Jr.</i>	
4D1p3	Consideration on the fungi growth in the Japanese apartment houses for single persons in relation to their living ac	746
	<i>M Shitotsu, K Ikeda, H Yasunaga, K Abe and S Yoshizawa</i>	
4D1p4	<i>Legionella</i> risks in modern homes in the UK	752
	<i>GJ Raw, C Hunter, L Sargent and D Higham</i>	
4D1p5	Prevalence of house dust mites, cat, and dog allergens in homes in one northeast American county	758
	<i>P Ren, TM Jankun, and BP Leaderer</i>	
4D1p6	Environmental endotoxin concentrations are associated with home characteristics	764
	<i>YJ Huang, JY Huang, LL Lin, PC Wu, YP Ma, and HJ Su</i>	
4D1p7	Indoor fungal exposure in some French homes	770
	<i>V Bex, A Mouilleseaux, L Bordenave and F Squinazi</i>	
4D2	Special Indoor Environments	
4D2o1	Dust in the cultural environment	776
	<i>P Brimblecombe, YH Yoon, K Frame, B Knight, K Lithgow and H Lloyd</i>	
4D2o2	Measurements of indoor air quality on commercial transport aircraft	782
	<i>MA Waters, TF Bloom, B Grajewski and J Deddens</i>	
4D2o3	Cabin air pollutants and climate in an aircraft with recirculated air on intercontinental flights	788
	<i>T Lindgren and D Norbäck</i>	
4D2o4	Tracking the source of elevated personal exposures to metals to underground subway environments in the TEACH study	794
	<i>SN Chillrud, D Epstein, JM Ross, S Ramstrom, D Pederson, M Aggarwal, JD Spengler, and PL Kinney</i>	
4D2p1	Nasal, ocular, dermal and general symptoms among Swedish commercial aircrew	800
	<i>T Lindgren and D Norbäck</i>	
4D2p2	Indoor air quality in submarines	806
	<i>O Persson and L Wadsö</i>	
4D2p3	Indoor air quality in a bank strong box	812
	<i>F Pinheiro Carneiro and F Radler de Aquino Neto</i>	

4D2p4	The indoor air quality of the national archives of the Netherlands: its purification, quality control and safeguarding the cultural heritage	818
	<i>JBGA Havermans and TAG Steemers</i>	
4D2p5	Indoor air quality of air-conditioned food courts: Preliminary findings in a tropical city state	824
	<i>HM Yap and PL Ooi</i>	
4D2p6	Venting contaminants and fire smoke from an indoor auto-racing complex	830
	<i>Z Zhai, Q Chen and PW Scanlon</i>	
4D2p7	A CFD simulation and optimization of subway station ventilation	836
	<i>J L Wang, G Tu, T Zou and J Yang</i>	
4D2p8	The relationship of structures and air conditioning to indoor air quality in two indoor swimming pools	842
	<i>T Jauhiainen, T Keskkikuru, R Halonen, M Reiman, L Kujanpää, P Yli-Pirilä, T Raunemaa and H Kokotti</i>	
4D2p9	Heating effects in south Tyrolean churches	848
	<i>A Troi and G Hausladen</i>	
4D3	Pesticides	
4D3o1	Contribution of the inhalation route to cumulative risk estimates from multiple route exposures to pesticides in NHEXAS-AZ residences	854
	<i>DJ Moschandreas, S Karuchit, M Lebowitz, MK O'Rourke and G Robertson</i>	
4D3o2	Distributions and quality of pesticide, PAH, and PCB measurements in bag dust from four areas of USA	860
	<i>DE Camann, JS Colt and MM Zuniga</i>	
4D3o3	Semi volatile organo-chemicals in indoor environment - chlorinated phosphorus and organotin compounds in material und house dust samples	865
	<i>T Haumann and J Thumulla</i>	
4D3o4	Ambient monitoring and biomonitoring of Pentachlorophenol after indoor exposure	871
	<i>U Helber, F Schweinsberg, G Volland, D Zöltzer and W Butte</i>	
4D3o5	Pesticide levels in 48-hour personal air samples during pregnancy and in blood samples at delivery from urban minority mothers and newborns	877
	<i>RM Whyatt, DE Camann, DB Barr, JR Barr, HF Andrews, PL Kinney and FP Perera</i>	
4D3p1	German environmental survey 1998 (GERES III): pesticides and other pollutants in house dust	883
	<i>K Becker, M Seiwert, S Kaus, C Krause, C Schulz and B Seifert</i>	
4D3p2	The SBS national exposure research laboratory children's pesticide exposure measurement program	888
	<i>RC Fortmann, LS Sheldon, EA Cohen Hubal, MK Morgan, DM Stout, II, KW Thomas, NS Tolve, and DA Whitaker</i>	

4D3p3	The distribution of Chlorpyrifos following a crack and crevice type application in the U.S. EPA indoor air quality research house	894
	<i>DM Stout II and MA Mason</i>	
4D3p4	Pesticides in wipes from farmworker residences in North Carolina	900
	<i>SA Quandt, TA Arcury, BG Mellen, P Rao, DE Camann, AM Doran, A Yau, JA Hoppin, and DS Jackson</i>	
4D3p5	The persistence of pyrethrum and Chlorpyrifos-ethyl in indoor environment - case-reports	906
	<i>N Weis and G Lammers</i>	
4D4	Life Cycle Perspectives: Health and Risk	
4D4o1	Evaluation of building products in a life cycle perspective	912
	<i>J Snaar, U Duus, K-E Larsson and G Stridh</i>	
4D4o2	Special environmental requirements for a California state office building	918
	<i>A Bernheim, H Levin and LE Alevantis</i>	
4D4o3	Health risk assessment of PCE emissions from dry cleaning activities in France	924
	<i>L Delery and A Cicolella</i>	
4D4o4	A screening-level ranking of toxic chemicals at levels typically found in indoor air	930
	<i>PK Johnston, G Hadwen, J McCarthy and JR Girman</i>	
4D4o5	Integration of occupant health criteria in the design and assessment of sustainable buildings - application to indoor air quality	936
	<i>C Cochet, S Nibel and L Nagy</i>	
4D4p1	Fiber glass insulation not classified as a human carcinogen by IARC	942
	<i>TW Hesterberg and GA Hart</i>	
4D4p2	Human health damage due to indoor pollutants in life cycle impact assessment	947
	<i>A Meijer, L Reijnders and MAJ Huijbregts</i>	
4D4p3	Quality of life: meditations on people and architecture	953
	<i>N Boschi and LM Pagliughi</i>	
4D4p4	In-residence risks from exposure to multiple pollutants: a study of two populations in Arizona	959
	<i>DJ Moschandreas, YK Arrington, Lebowitz, MK O'Rourke, SM Gordon, and G Robertson</i>	
4D4p5	An integrated, community-based approach to air toxics reduction	965
	<i>W Long</i>	
4D5	World Bank Symposium - Indoor Air Quality and Health in Developing Countries II	
4D5o1	Indoor air pollution from biomass stoves as a risk factor for acute respiratory infections in Kenya	970
	<i>M Ezzati and DM Kammen</i>	

4D5o2	Asthma and indoor air pollution among indigenous children in Guatemala	976
	<i>MA Schei, JO Hessen, J McCracken, V Lopez, N Bruce and KR Smith</i>	
4D5o3	An evaluation of the indoor/outdoor air pollution and respiratory health of farmers living in rural areas of Anhui province, China	982
	<i>X-C Pan, Z Dong, L Wang and W Yue</i>	
4D5o4	Effects of cooking smoke on asthma in the elderly	988
	<i>V Mishra</i>	
4D5o5	Domestic smoke pollution and respiratory diseases in Nepal	994
	<i>MR Pandey</i>	
4D5p1	Investigation and evaluation of firewood consumption in traditional houses in Nepal	1000
	<i>HB Rijal and H Yoshida</i>	
4D5p2	Health impacts of cooking fuels on females in Uttar Pradesh, India	1006
	<i>H Biswas and J Parikh</i>	
4D5p3	Indoor air quality related standards in China	1012
	<i>Z Bai, C Jia, T Zhu and J Zhang</i>	
4D5p4	Economic burden of respiratory illness in rural Uttar Pradesh, India	1018
	<i>J Parikh and H Biswas</i>	
4D5p5	Studies on indoor air pollution from domestic fuel in China	1024
	<i>Y Qin</i>	
4D5p6	Impacts of cooking coal smoke and heating coal smoke on respiratory health of children in four Chinese cities	1030
	<i>Z Qian, J Zhang, F Wei, and RS Chapman</i>	
4D5p7	Preliminary analysis of 6 coals associated with different lung cancer rates	1036
	<i>LW Tian, CP Koshland, RS Chapman, SK Hammond, and D Lucas</i>	
4D6	Thermal Comfort and Perceived IEQ: Impacts of Ventilation System Type	
4D6o1	The effect of a personalized ventilation system on perceived air quality and SBS symptoms	1042
	<i>J Kaczmarczyk, Q Zeng, A Melikov, PO Fanger</i>	
4D6o2	A study of thermal comfort in an office environment with floor return type underfloor ventilation system	1048
	<i>MP Wan and CY Chao</i>	
4D6o3	Measurements and prediction of inhaled air quality with personalized ventilation	1054
	<i>R Cermak, M Majer and AK Melikov</i>	
4D6o4	Ventilation efficiencies of a desk-edge-mounted task ventilation system	1060
	<i>D Faulkner, WJ Fisk, DP Sullivan and SM Lee</i>	
4D6o5	Long term evaluation of the general thermal comfort conditions	1066
	<i>BW Olesen and M de Carli</i>	

4D6p1	Indoor airflow behavior and thermal comfort in a courtyard house in warm humid tropics	1072
	<i>I Rajapaksha, H Nagai and M Okumiya</i>	
4D6p2	Central heating installation for older, low income households: what difference does it make?	1078
	<i>J Rudge and R Winder</i>	
4D6p3	The effects of moderate heat stress and open-plan office noise distraction on office work	1084
	<i>T Witterseh, DP Wyon, and G Clausen</i>	
4D6p4	Experimental study of facial air supply method for the reduction of pollutant exposure	1090
	<i>HG Zuo, JL Niu and WT Chan</i>	
4D6p5	The effects of localized cool air flow on thermal comfort in muggy condition	1096
	<i>J-Y Lee, C-O Ahn, D-U Mun, C-S Lee, S-W Chin and K-S Cho</i>	
4D6p6	Residences of the elderly: ventilation and indoor air physical properties	1101
	<i>J Laakso and LM Reinikainen</i>	
4D6p7	Seasonal field survey on thermal comfort conditions in semi-outdoor spaces	1107
	<i>J Nakano, K Goto, M Noguchi, H Fujii, T Shimoda, and S Tanabe</i>	
4D6p8	Comfort criteria and design aspects in high temperature radiant heating	1113
	<i>P Brunello, M De Carli, A Polito and R Zecchin</i>	
5A1	Bioaerosol: Featured Papers	
5A1o1	Airborne mycotoxin sampling and screening analysis	1
	<i>E Johannig, M Gareis, K Nielsen, R Dietrich and E Märtlbauer</i>	
5A1o2	Dampness in buildings and health. Building characteristics as predictors for dampness in 8 681 Swedish dwellings	7
	<i>L Hägerhed, CG Bornehag, and J Sundell</i>	
5A1o3	Dampness in buildings as a risk factor for health effects: European multidisciplinary review of the entire literature (EuroExpo)	13
	<i>CG Bornehag and J Sundell</i>	
5A1o4	Double blind placebo controlled exposure to moulds	19
	<i>HW Meyer, KF Nielsen, KA Jensen, J Kildesø, S Norn, H Permin, LK Poulsen, HJ Malling, S Gravesen and F Gyntelberg</i>	
5A1o5	Mold in homes and schools: state and local agencies respond to increased public concern	23
	<i>L Oatman, T Allan, and D Jones</i>	

5A2 Health: Featured Papers

5A2o1	Semi-quantitative mold exposure index predicts building-related respiratory symptoms	27
	<i>JH Park, PL Schleiff, MD Atfield, JM Cox-Ganser, K Kreiss</i>	
5A2o2	The role of ventilation and HVAC systems for human health in non-industrial indoor environments. A supplementary review by EUROVEN group.....	33
	<i>P Wargocki, J Sundell, W Bischof, G Brundrett, PO Fanger, F Gyntelberg, SO Hanssen, P Harrison, A Pickering, O Seppänen and P Wouters</i>	
5A2o3	Review of mechanisms of effect of ETS with relevance to health effects in children	39
	<i>C Courage, P Holmes, LK Shuker and PTC Harrison</i>	
5A2o4	Respiratory tract effects of repeated exposures to isoprene/ozone reaction products in mice	45
	<i>AC Rohr, SA Shore and JD Spengler</i>	

5A3 Pollutants: Featured Papers

5A3o1	EuroPart. Airborne particles in the indoor environment. A European interdisciplinary review of scientific evidence on associations between exposure to particles in buildings and health effects.....	52
	<i>T Schneider, J Sundell, W Bischof, M Bohgard, JW Cherrie, PA Clausen, S Dreborg, J Kildesø, SK Kjærgaard, M Løvik, P Pasanen and K Skyberg</i>	
5A3o2	Personal, indoor and outdoor monitoring of exposures to polycyclic aromatic hydrocarbons among a cohort of pregnant women from Krakow, Poland	58
	<i>K Peki, R Whyatt, W Jedrychowski, D Camann, A Penar, U Bawle, J Adibi and F Perera</i>	
5A3o3	Distributions of residential organochlorine pesticide residuals along the Arizona/Mexico border	63
	<i>G Robertson, M Lebowitz, L Needham, MK O'Rourke, S Rogan, J Petty and J Huckins</i>	
5A3o4	A test chamber study of the contribution of human body surfaces to the "personal cloud"	69
	<i>MA Byrne, G Kearns and C McKenna</i>	
5A3o5	The transformation of outdoor ammonium nitrate aerosols in the indoor environment.....	74
	<i>MM Lunden, TL Thatcher, D Littlejohn, ML Fischer, SV Hering, RG Sextro, and NJ Brown</i>	
5A3o6	Production and levels of selected indoor radicals: a modeling assessment	80
	<i>G Sarwar, R Corsi, D Allen, and C Weschler</i>	

5A4 Thermal Comfort: Featured Papers

5A4o1	An analysis of some subjective assessments of indoor air-quality in five European countries.....	86
	<i>MA Humphreys, JF Nicol and KJ McCartney</i>	

5A4o2	Prediction of thermal sensation in non-air-conditioned buildings in warm climates	92
	<i>PO Fanger and J Toftum</i>	
5A4o3	Climate, clothing and adaptation in the built environment	98
	<i>CA Morgan, R de Dear and G Brager</i>	
5A4o4	Predicted vs. Recorded summer thermal responses in air-conditioned and naturally ventilated dwellings in Israel	104
	<i>M Paciuk and R Becker</i>	
5A4o5	Redefining appropriate thermal comfort standard for naturally ventilated buildings in tropics (Singapore and Indonesia perspective)	110
	<i>H Feriadi, NH Wong, S Chandra, KW Cheong, KW Tham</i>	
5B1	Distinguished Lectures	
5B1o1	Indoor pollutants, Trends, Chemical reactions, Human exposure	116
	<i>B Seifert</i>	
5B1o2	Building design for good indoor air quality	126
	<i>K Kimura</i>	
5B1o3	Ventilation, energy, and indoor air quality	136
	<i>O Seppänen</i>	
5B1o4	Research futures for healthy indoor air	148
	<i>JD Spengler</i>	